Gobert, F., 1399
Godwin, S.L., 568
Goff, N.D., 827
Goldemberg, A.L., 688
Gomez, R., 595
Gonzales, J.M., 1559
Gonzalez-Castaneda, J., 123
Gordon, A., 1196
Gray, J.I., 46
Greaser, M.L., 1751
Greene, D.H., 257, 579, 1236
Gregory, J.F., III, 1143
Grosch, W., 193
Grover, S., 269
Gruber, H.A., 1506
Guerrieri, S.A., 1417
Guichard, E., 735
Gujska, E., 466, 1081
Gullett, E.A., 827
Gupta, B.B., 1620

H

Haard, N.F., 959
Hackney, C.R., 372
Hagele, G.H., 1528
Halbert, D.N., 1394
Hallett, I.C., 1066
Halpin-Dohnalek, M.I., 591
Hamann, D.D., 665
Hammerstedt, R.H., 1108
Hamza-Chaffai, A., 1630
Han, D., 247
Handel, A.P., 1417
Hanna, M.A., 1352
Hannigan, M.V., 1506
Hardin, R.T., 1270
Harper, J.M., 1388
Harris, P.V., 1
Harry, G.I., 123
Hart, H., 1762
Harte, B.R., 158
Hartel, R.W., 817
Harwalkar, V.R., 99, 1441
Hashimoto, K., 674
Hashisaka, A.E., 404, 1284
Hassan, B.H., 1073
Hatae, K., 674, 693
Haun, J., 1745
Hawryah, Z.J., 1270
Hayakawa, K., 1711
Hayashi, M., 1172
Haydon, K.D., 621, 937, 1485, 1497
Heald, T., 575
Hearnsberger, J.O., 1747
Heatherbell, D.A., 728, 1011, 1610
Hedrick, H.B., 613
Heil, J.R., 763
Heist, J., 1095
Helsel, Z., 1491
Hemeda, H.M., 184
Hentges, D.L., 1474
Hettiarachchy, N.S., 786
Heuser, J.R., 1614
Heymann, H., 613
Higuera-Ciapara, I., 228, 632
Hilbert, G., 1033
Hinojosa, O., 1133
Hirao, T., 781
Hirooka, N., 1412
Hirose, M., 915
Hobbs, M., 1325
Hochel, I., 103
Hodgson, A.S., 1757
Hoff, B.J., 1466
Holley, R.A., 114, 386, 391
Hollingshed, A.M., 1474
Hollingworth, T.A., Jr., 349
Horvat, R.J., 1308
Hovis, A.R., 279
Hsieh, F., 224, 1345
Hsieh, T.C.-Y., 962, 1233, 1303, 1466, 1669
Hsu, J-C., 1610
Hsu, S.Y., 661
Hu, L., 1345
Huang, B., 1762
Huang, R-F.S., 585
Huang, T-S., 1206
Huang, Y-W., 1481
Huber, M., 361
Huerta, T., 1603
Huey, R.H., 289
Huff, H.E., 224, 1345
Huffman, D.L., 9, 1258
Hujita, M., 979
Hultin, H.O., 369, 947, 951
Hung, Y.-C., 558, 774
Hungate, F.P., 404, 1284
Hunt, M.C., 338
Husain, A., 293
Hwang, G-C., 674
Hwang, S-Y., 26
Hyvonen, L., 1373

I

Ibrahim, H.R., 1280
Ibrahim, N., 271, 1488
Ikezawa, Z., 781, 1105
Im, J-S., 1039, 1042
Imai, T., 158
Inglett, G.E., 560
Ishak, S., 261
Ismaiel, A., 1676
Ismond, M.A.H., 1638
Issanchou, S., 735
Ito, K., 854
Ito, O., 1172
Ito, T., 1689
Itoh, T., 1483
Izumimoto, M., 1523

J

Jaffrin, M.Y., 1620
James, C. Jr., 1501
Janssen, F.W., 1528
Jaswa, A.S., 379
Jay, J.M., 1475
Jelen, P., 398, 506
Jen, J.J., 564
Jenner, M.R., 244
Jeremiah, L.E., 1270
Jhaveri, S.N., 79
Jiang, S-T., 670
Jimenez, M., 1603
Jinap, S., 547
Johnson, A., 1394
Johnson, C.E., 1303
Johnson, D.E., 1651
Johnson, J.L., 572
Johnson, L.P., 330
Johnson, R.C., 906, 1264
Jones, K.W., 906, 1264
Jones, P.N., 15
Jones, V.A., 589
Jongen, W. M.F., 1000, 1026
Joseph, E.W., 1102
Josephson, E.S., 1745
Jung, M.Y.H., 1464
Jungst, S.B., 9

K

Kahn, R., 537
Kajimoto, G., 1412
Kaki-Ichi, N., 1172
Kaletunc, G., 1759
Kamata, S., 1172
Kamimura, M., 881, 1361
Kamisoyama, H., 1689
Kaneda, H., 881, 1361
Kanellaki, M., 525
Kano, Y., 881, 13361
Kapila, S., 271, 1488
Karakoltsidis, P.A., 79
Karathanos, V.T., 218
Karrasch, M.A., 613
Kas, J., 103
Kastner, C.L., 338
Kataoka, K., 1523
Kato, A., 1280
Katsuta, K., 516, 1296
Kawakishi, S., 409, 1361
Kazantzis, D., 79
Kean, W.P., 1312
Keeton, J.T., 285, 289
Kell, G., 1120
Kelly, B.J., 1004
Kermashe, E., [illegible]
Khan, A., [illegible]
Kahn, K., [illegible]
Kher-un-Nisa, [illegible]
Khetarpaul, N., [illegible], 1180
Kilara, A., 1441
Kim, C.M., 847
Kim, K.T., 1353
Kim, S-H., 1481
Kim, S.S., 1008
Kimball, D.A., 273
King, A.D., Jr., 830
King, A.J., 1549
King, J., 593
Kinoshita, M., 259, 364
Kinsella, J.E., 516, 1116, 1296, 1441, 1735
Kitamikado, M., 74
Klatt, L.V., 954
Klawitter, L.A., 1754
Klein, B.P., 184, 863, 1187
Klein, T., 869
Kneifel, W., 879
Knipe, C.L., 23, 252
Knipfel, J.E., 1093
Knorr, D., 869
Knuckles, R.O. 640
Kobayashi, K., 1280
Koburger, J.A., 59
Koehler, P.E., 790
Kolakowski, E., 1477
Kolbe, E., 1217
Kolodziejska, I., 925
Konma, K., 1280
Koohmaraie, M., 254, 573, 858
Korhonen, R.W., 346, 353
Koushik, S.R. 1183
Koutinas, A.A., 525, 1588
Kratzer, F.H., 805
Kroger, M., (4) ii
Kronich, P.L., 1506
Kropf, D.H., 26, 338
Krumhar, K.C., 1127
Krzymien, M.E., 1228
Krzynowek, J., 1743
Kumar, A., 1403
Kummerow, F.A., 30, 1243
Kunkel, M.E., 885
Kuo, J-D., 369
Kurata, T., 983

L

Labuza, T.P., 821
Lachambre, S., 1124
Lacroix, C., 356, 1222
Lai, H-M., 994, 1435
Lakritz, L., 1462
Laleye, L.C., 114, 386, 391
Lamb, J., 808
Lamikanra, V.T., 861
Lampila, L.E., 83
Lamuela-Raventos, R.M., 1458
Lane, D., 1394
Langerak, D.I., 1181
Langure, A., 632
Lanier, T.C., 346, 353
Laperle, E.A., 522
Larick, D.K., 312, 649
Larsen, R.F., 708
Latreille, B., 1666
Le Meste, M., 724, 1445
Lea, P., 1064
Leatham, K., 1143
Lebepe, S., 918
Lebowitz, S.F., 1421
Lederer, C.L., 728
Lee, B.H., 114, 119, 356, 391
Lee, C.M., 87, 972, 1210, 1745
Lee, H., 1762
Lee, H.S., 162
Lee, J.Y., 915
Lee, K., 1290
Lee, L.M., 1270
Lee, S-Y., 532
Lee, S.H., 401
Lee, S.Y., 119
Lee, Y-Z., 577
Lee, Y.C., 1365
Leiras, M.C., 1174
Lelievre, J., 976
Lemieux, L., 1552, 1555
Lepine, F., 581
Leszkowiat, M.J., 281, 1338
Leung, H.K., 1425
Lewis, B.A., 1441
Liang, B., 817
Likimani, T.A., 1388
Lim, B.T., 1088
Lima, M., 1112
Lin, C.F., 46, 1466, 1669
Lin, C.M., 210
Lin, K.W, 285, 289
Lin, T.Y., 1607
Lin, Y.E., 1352
Linden, G., 796, 801
Lisk, D.J., 556
Litopoulou-Tzanetaki, E., 111
Littell, R.C., 440
Liu, C.W., 1258
Liu, M.N., 1258
Liuzzo, J.A., 1102
Longnecker, M.T., 289
Lorient, D., 437, 724, 1445
Lougheed, E.C., 281
Love, J.A., 929
Lovegren, N.V., 621
Lovell, R.T., 255
Luf, W., 879
Lyon, B.G., 644, 1308
Lyon, C.E., 330, 621, 625

M

Ma, C.-Y., 99
Mabry, J.W., 330
MacDonald, G.A., 976
MacGregor, J.T., 635
Macfarlane, J.J., 15
Mackey, K.L., 417
Macku, C., 1239
Maerker, G., 1194
Maga, J.A., 1388
Makinodan, Y., 979
Malmsten, T., 1373
Mameesh, M.S., 293
Mangino, M.E., 1441
Manlan, M., 440
Mann, T.F., 330
Mannheim, A., 381
Mannheim, C.H., 413
Margoshes, B.A., 1753
Marin, M.A., 1070
Marine-Font, A., 1192
Marinos-Kouris, D., 1594
Maroulis, Z.B., 1594
Marousis, S.N., 1367
Marshall, M.R., 59, 440, 562, 1206
Marshall, R.T., 903
Marth, E.H., 591
Martin, S.E., 833
Martinez, A., 759, 1029
Martinou-Voulasiki, I.S., 703
Massaro, S.A., 821
Massey, L.M., 1046
Matches, J.R., 1284
Matiella, J.E., 962
Matsumoto, J.J., 51, 55, 693
Matthews, R.F., 440
Mazhar, A., 575
Mbofung, C.M.F., 1657
McCarthy, K.L., 1170
McCarthy, M.J., 763
McCormick, R.J., 575
McCurdy, A.R., 898
McCurdy, R.D., 827
McCurdy, S.M., 1093
McDaniel, M.R., 728
McFeeters, R.F., 446
McGuire, J., 1199, 1749
McKeith, F.K., 863
McLauchlan, R.L., 1185
McLellan, M.R., 1046
McMahon, P.S., 658
McMillin, K.W., 318
McWatters, K.H., 558, 774
Medina, M.B., 867
Mehran, M., 777

Meredith, F.I., 1308
Merkel, R.A., 640
Merson, R.L., 478, 488
Mielke, E.A., 197, 171
Mietsch, F., 1494
Miller, D.D., 1293
Miller, J.A., 318
Miller, L.A., 71
Miller, L.F., 929
Miller, M.F., 330, 621, 625, 937, 1485
Miller, M.R., 1497
Miller, R.K., 301
Miltz, J., 413
Min, D.B., 401, 1464
Miquel, J., 196
Mistry, A., 434
Mitchell, G.E., 1185
Mittal, G.S., 334
Miyakawa, J., 781, 1105
Miyamoto, T., 1523
Miyawaki, O., 854
Mok, C., 756
Molins, R.A., 323, 918
Moncrieff, C.B., 1531
Moody, N.L., 1183, 1740
Monsalve, G., A., 1425
Montano, A., 214
Montecchia, C., 688
Montes de Oca, F., 593
Montgomery, M.W., 731, 1315, 1320
Montoya, J.A., 77
Montville, T.J., 1564
Moody, M.W., 670
Moody, W.G., 658, 1518
Moore, D., 1383
Mora-Gutierres, A., 462
Moreno, R., 751
Morgan, R.G., 942
Morimoto, H., 455
Morr, C.V., 510, 532, 1177, 1441
Morris, W.C, 298, 1647
Morton, R.D., 1725
Moshonas, M.G., 1617
Moutounet, M., 1598
Moye, H.A., 440
Muego, K.F., 790
Mukai, T., 1483
Muller, T.S., 906, 1264
Munsch, M.-H., 386, 391
Murphy, J., 1743
Murray, E.D., 1638
Muzilla, M., 1491
Myhara, R.M., 1470

N

Nacsk, M., 1470
Naess, T., 1574
Naewbanij, J.O., 1634
Nagai, T., 1334
Nagy, S., 162
Nair, P.M., 275, 865, 1579
Nakai, S., 577, 711, 718, 1728
Narain, N., 1303
Nataraj, B., 269
Navarro, F., 595
Navder, K.P., 585
Ndjouenkeu, R., 1657
Nelson, P.E., 154, 502, 877
Nettleton, J.A., 954
Nguyen, T.K., 566
Nguyen, T.T., 1066
Nguyen-The, C., 1033
Nielsen, S.S., 1474
Niemann, L., 95
Nikdel, S., 1359
Nimura, T., 1483
Nishibori, S., 409
Nishizawa, Y., 915
Niwa, M., 455
Nnanna, I.A, 151
Noble, A.C., 450
Noble, J.M., 656
Noguchi, S.F., 51, 55
Norman, S.I., 273
Nussinovitch, A., 1759
Nute, G.R., 1531

O

O'Neill, T.E., 1441
Obekpa, J.A., 1084
Ockerman, H.W., 1255
Ofner, S., 193
Ofoli, R.Y., 417
Ogura, N., 967
Ohashi, N., 1018
Ohno, S., 232
Okareka, A., 1137, 1327, 1331
Okie, W.R., 1308
Olson, D.G., 23
Orban, E., 1571
Orr, P.H., 458
Osawa, T., 1361
Otwell, W.S., 59
Owusu-Yaw, J., 1714
Ozilgen, M., 496
Ozilgen, S., 496

P

Paakkonen, K., 206, 1373
Padwal-Desai, S.R., 275
Pagliarini, E., 1766
Palmer, J.K., 137
Palombo, R., 601, 604
Papadopoulos, L.S., 570
Paquet, D., 796, 801
Paquin, P., 1666
Paredes-Lopez, O., 123, 1157
Parodi, M.E., 1567
Parisse, E.R., 1743
Parish, M., 1164
Parish, M.E., 1023
Park, J., 871
Park, J.W., 353
Park, Y.W., 308
Parkin, K.L., 1039, 1042, 1341
Parrish, F.C., Jr., 618
Paul, P., 865
Peirson, M.D., 372
Pelag, M., 369, 1759
Peng, I.C., 224, 1345
Perera, C.O., 1066, 1757
Peres-Villarreal, B., 678
Peri, C., 1766
Perkins, W.E., 763
Perren, M., 71
Perry, A.K., 1187
Pham, G.T., 1429
Pharr, D.M., 186
Phillips, I.G., 1441
Phillips, L.G., 1116, 1735
Phillips, R.D., 151, 774
Pierce, M.M., 95
Pierson, M.D., 1676
Pike, O.A., 92
Pikul, J., 30, 1243
Pilizota, V., 1049
Pilnik, W., 1026
Pilcosf, A.M.R., 133
Pivarnik, L.F., 79
Perdesimo, I.O., 1352
Posner, E.S., 1349
Potter, N.N., 1004
Powers, J.R., 1425
Poza, R., 678
Poza, R.G., 77
Pratt, D.E., 847
Price, J.F., 1510
Pruss, K.J., 929
Puchades, R., 1552, 1555
Puri, R.K., 271, 1488

Q

Qadri, R.B., 1201
Quaglia, G.B., 1571
Querol, A., 1603
Quinlan, M.E., 244

R

Ramos, V., 250
Rand, A.G., Jr., 79
Ranhotra, G.S., 1349
Rao, R.M., 1102
Rasco, B.A., 404, 424
Ratnayake, W.M.N., 954
Rauch, P., 103
Ravindran, G., 137
Reagan, J.O., 330, 621, 625, 937, 1485, 1497
Rector, D., 516
Regenstein, J.M., 64, 1441
Reid, D.S., 554, 1626
Reineccius, G.A., 401, 1356, 1683, 1686
Reppond, K.D., 1236
Resnik, S.L., 697
Resurreccion, A.V.A., 629, 790
Reynolds, A.E., Jr., 629
Rezaaiyan, R., 1359
Rezk, M., 255
Rhee, K.S., 570, 871
Rhim, J.W., 589
Riez, M., 1201
Richards, J.F., 1249
Richardson-Schmidt, S.J., 434
Rico-Pena, D.C., 1468
Rincon, F., 751
Rinn, J-C., 510
Risvik, E., 361
Robertson, J.A., 1308
Rodrigo, M., 196, 759, 1029
Rolan, T.L., 342, 1274
Romans, J.R., 906, 1264
Rommel, A., 1011
Roos, Y.H., 206
Ros, G., 751
Ross, E.W., 989, 1378
Roura, S.I., 688
Rouseff, R.L., 440
Rubenthaler, G., 424
Rubin, L.J., 925, 1147
Rule, D.C., 575
Runyon, C.H., 1170
Rupnow, J.H., 1472
Russell, W.C., 575
Rust, R.E., 23

S

Sadeghi, F., 851, 1696
Sadler, G., 1164, 1460, 1617
Sadler, G.D., 587, 1023
Saeki, Y., 854
Saibu, L.O., 1745
Saito, Y., 455
Saitua, E.S., 77
Sajjaanantakul, T., 1312
Sakata, T., 364
Salih, A.M., 1510
Salinas, M.R., 595
San Miguel, R.I., 885
Sanceda, N.G., 983
Sanchis, J., 759, 1029
Sanei, A., 1383
Sano, T., 51, 55
Sanogo, T., 796, 801
Santos, E.E.M., 64
Sapers, G.M., 1049
Sarafis, V., 1325
Saravacos, G.D., 218, 1367
Sastry, S.K., 1112, 1448, 1703
Sathe, S., 263
Sato, Y., 854
Savell, J.W., 301
Sawaya, W.N., 293
Schade, J.E., 635
Schafer, H.W., 181
Schanus, E.G., 1513
Schieberle, P., 193
Schlich, P., 735
Schmidt, G.R., 277, 327, 911
Schmidt, S.J., 430, 434, 994, 1187, 1435
Schreier, P., 176
Schulman, W., 1116
Schwobe, M.A., 1341
Scott, V.N., 1725
Searcy, G.K., 1536
Sebranek, J.G., 267, 929
Seetharaman, K., 1740
Seguchi, M., 784
Seidemon, S.C., 342, 1274
Self, F.P., 1531
Semar, D.L., 658, 1518
Senter, S.D., 1308, 1585
Seo, A., 510, 532
Setser, C., 528
Shackelford, S.D., 621, 937, 1485, 1497
Shah, N., 398, 506
Shahidi, F., 793, 1470
Shamshad, S.I., 1201
Sharma, A., 275
Shaw, P.E., 1617
Shi, Y., 817
Shiau, C.Y., 374
Shibamoto, T., 1175, 1239
Shieh, J.J., 1462
Shih, F.F., 127
Shimada, K., 967
Shimizu, Y., 259, 364
Shin, H.K., 247
Shinoda, S., 232
Shorthose, W.R., 1
Shyu, S.-L., 210
Sian, N.K., 261
Siekman, D.K., 95
Silva, J.L., 1747
Silverman, G.J., 1745
Simard, R.E., 114, 386, 391, 1552, 1555
Simatos, C., 1445
Simatos, D., 724
Simpson, B.K., 959
Simpson, M.V., 959
Sims, C.A., 562
Singh, R.K., 502
Singleton, V.L., 1458
Skierkowski, K., 1081
Skoniecsny, S., 925
Skowronski, R.P., 918
Skrede, G., 361, 1064, 1574
Smith, D.M., 640, 942, 1441
Smith, G.C., 43
Smith, R.S., 877
Smith, S.B., 43
Smitherman, R.O., 255
Smulders, F.J.M., 1268
Sofos, J.N., 277, 327, 911, 1388
Sopade, P.A., 1084
Spanier, A.M., 318
Spittler, T.D., 1166
Sproull, R.D., 1199
St. Angelo, A.J., 1501
Stanley, D.W., 281, 1054, 1060, 1338
Steffe, J.F., 1660, 1764
Stehli, D., 537
Steinberg, M.P., 130, 430, 434, 537, 543
Steinhart, H., 1120
Stengle, T.R., 1732
Stoewsand, G.S., 556
Stoforos, N.G., 478, 1626
Stone, M.B., 1634, 1643, 1651
Storebakken, T., 1574
Strange, E.D., 859
Succar, J., 1711
Sullivan, J.J., 349
Surak, J.G., 510
Suzuki, Y., 781, 1172
Swanson, B.G., 236
Swartzel, K.R., 589, 851, 1696
Swatland, H.J., 305
Sweeten, M.K., 43
Sych, J., 356, 1222

T

Takagi, K., 455
Tan, H.S., 1479
Tanaka, H., 1689
Tanchotikul, U., 1233
Tanteeratarm, K., 130
Tarodo de la Fuente, B., 1598
Taub, I.A., 989
Tave, D., 255
Tegmo-Larsson, I-M., 1166
Teixeira, A.A., 440
Tepper, B.J., 1564
Terasaki, M., 1018
Thakur, B.R., 1699
Thompson, L.D., 1178
Throm, H.R., 349
Ticknor, D.B., 401
Toba, T., 1483
Toda, J., 1018
Todoroki, H., 1018

Toldra, F., 1189
Toledo, R.T., 199
Tong, L., 635
Torkelson, J.D., Jr., 349
Torres, J.A., 841, 1468
Toth, J.P., 1714
Toyoda, M., 455
Toyohara, H., 259, 364
Trama, J., 759, 1029
Trehan, I.R., 1699
Trout, G.R., 38
Trucco, R.E., 688
Tsai, L-S., 635
Tsami, E., 1594
Tsuchiya, T., 51, 55
Tuncan, E.U., 833
Turgeon, S.L., 106
Turner, B.E., 312, 649
Tzeng, W.C., 873, 1162
Tzeng, Y-M., 1147

U

Uchida, K., 1172
Ueno, R., 74
Ujvarosy, S., 398
Uncilla, I., 77
Unda, J.R., 323
Unklesbay, K., 1491
Unklesbay, N., 271, 1488, 1491
Ushio, H., 674

V

Valencia, M.E., 228
Van Boekel, M.A.J.S., 1000
Van Buren, J.P., 1312
Van Hecke, E., 1383
Van Laack, R.L.J.M., 1268
Vanderstoep, J., 1249
Varga, D.M., 167, 171
Varon, R., 595
Vaughters, H.M., 625
Vazquez-Moreno, L., 632
Veciana-Nogues, M.T., 1192
Velinov, P.D., 1751
Venogopal, V., 865
Vera-Garcia, M., 1394
Verette, E., 164
Vernile, M., 1766
Vesche-Ebeling, P., 731
Vidal-Carou, M.C., 1192
Viguier, L., 724
Vila, R., 196
Villalobos, G., 218
Villota, R., 543, 746
Vine, R.P., 1607
Vohra, P., 805
Voilley, A., 1399
Vojdani, F., 841
Von Elbe, J., 1042
Voorpostel, A.M.B., 1528
Voyle, C.A., 1189

W

Wagner, J.R., 683, 765
Walker, H.W., 323
Walsh, R., 1137
Wang, C.H., 1077
Wang, D-Q., 1217
Wang, R.M., 577
Wang, Y.J., 71
Warren, C., 746
Warren, M.W., 583
Watabe, S., 674
Watanabe, H., 1280
Watanabe, M., 781, 1105
Weaver, C.M., 263, 1474
Weber, F.E., 551
Wehling, R.L., 95
Wei, C.I., 59, 1206, 1714
Wei, L.S., 130, 537
Wekell, M.M., 349
Welsh, F.W., 1679
Wesche-Ebeling, P., 1315, 1320
Wheeler, T.L., 301, 342, 1274
Wheeler, W.B., 1714
Whitehand, L.C., 830
Whiting, R.C., 859
Wianecki, M., 1477
Wicker, L., 1023, 1762
Wijngaards, G., 601, 604
Wiley, R.C., 1725
Williams, R.E., 1679
Williz, J., 1429
Wilson, N.D.C., 976
Wilson, R., 635
Wilson, S.G., 1394
Winters, D.D., 283
Wolters, T.C., 1181
Wong, M.K., 1108
Wrolstad, R.E., 1011, 1064
Wu, M.C., 665
Wu, M.L., 1162
Wu, Y.C., 1255
Wyllie, B.G., 1325

X

Xiong, Y.L., 1540, 1544

Y

Yada, R.Y., 281, 1054, 1060, 1338
Yakubu, P.I., 458
Yamanaka, H., 674
Yamanshita, K., 364
Yamashita, N., 130, 537
Yanagisawa, T., 1105
Yano, T., 854, 1334
Yaylayan, V.A., 1124
Yeo, H.C.H., 1175
Yi, O.S., 247
Yiu, S.H., 99
Yoon, K.S., 87, 1210
Yorgey, B.M., 1610
Yoshida, H., 1412
Yoshida, S., 1689
Yoshimatsu, F., 693
Yoshizawa, T., 781, 1105
Young, C.T., 279
Yuan, C-S., 74

Z

Zabielski, J., 1462
Zall, R.R., 873, 1162
Zayas, J.F., 888
Zeece, M.G., 283
Zemel, G.P., 562
Zerfiridis, G.K., 703
Zhang, W.B., 1673
Ziegler, G., (4) ii
Ziprin, Y.A., 570, 871
Zottola, E.A., 181
Zuberi, R., 1201
Zubillaga, M.P., 1194
Zurea, G., 751

JFS Subject Index 1990

A

absorption
influence of denaturation, hydrophobicity and sulfhydryl content on water capacity of soy protein isolate, 765; of oxygen: properties of powdered iron, 869; of water in soybean, cowpea and peanuts at three temperatures using Peleg's equation, 1084; oxygen permeability of polyethylene as function of limonene: approach to modeling flavor scalping, 587

acceptability
effect of feeding monounsaturated fat to swine on ham, 1485
effect of feeding monounsaturated fat to swine on sausage, 1497
hot-boning, tumbling, salt and chopping temperature effects on emulsion-type pork sausage, 1255; of bacon as influenced by monounsaturated fat feeding to swine, 621; of lysine-fortified fish sauce, 983; of milk substitutes from cowpeas, 701
acid acetic: acidification of brined cherry peppers, 186
adipic: effect of concentration on muscle-juncture formation, 906; alginate texturization of fruit pulps and juices, 1759
amino: comparison of methods in cheddar cheese, 1552; determination in cheese by flow injection analysis with enzymic reactor and chemiluminescence detector, 1555; determination of connective tissue using equations based on analysis, 1506; hydrolysate from crab processing waste, 379; loss in model total parenteral nutrition solutions, 821
application of urease to wine: determination of trace urea in wine, 1018
ascorbic: antioxidative effect of solubilized in oils via reversed micelles, 247; misting effects on retention in broccoli during cabinet display, 1187; production of free radicals in infant formulas, 1133; relationship of to sulfur in vegetables, 181
blanching effects on yield, quality and microbiological stability of canned mushrooms, 1327; characteristics of fermented and dried cocoa beans from different countries, 547
chlorogenic: browning of as function of water activity, 1425; polyphenols in apples and ciders: correlation with, 1458
cinnamic: effect on peroxidase activity of vegetable extracts, 184
control of spoilage of canned mushrooms inoculated with C sporogenes by blanching, 1331
dehydroascorbic: browning of as function of water activity, 1425
dilatancy in starch solutions under aseptic processing conditions, 1764
effect of soymilk solids on production by lactobacilli, 1643
effect of water activity on production of by S. thermophilus and L. bulgaricus, 708
ellagic: identification and reduction in muscadine grape juice, 1607
fatty: composition of bacon from pigs fed canola, 575; evaluation of heated frying oils containing added, 1417; flavor characteristics of forage- and grain-fed beef as influenced by differences in, 312; omega-3 in Lake Superior fish, 71; potassium sorbate permeability of methylcellulose and hydroxypropyl methylcellulose coatings: effect of, 841; role of phospholipid on TBA reactive substances formation in chicken meat, skin and swine aorta, 1243
lactic: changes in bacteria during ripening of Kefalotyri cheese, 111; effects on epimysial connective tissues of muscles used for restructured beef steaks, 859; survival of bacteria during spray drying of yogurt, 1008; survival of under acidic conditions, 506
malic: method for separation and quantitation in fruit juice, 1614; mechanism of blanch inhibition of C. sporogenes, 1137
nucleic: development of colorimetric hybridization method for detection of Salmonella in foods, 1394
oleic: low-fat frankfurters with elevated levels of, 871; physical, chemical and sensory properties of summer sausage from pork high in, 937
orotic: effects of fermentation and storage on concentration in skim milk, 585
phytic: effects of germination and fermentation by yeasts and lactobacilli on in pearl millet, 1180
reducing microbial populations on beef tissues: concentration and temperature of mixture of, 903; rheology of maize starch solutions under aseptic processing conditions using tube viscometry, 1660
sorbic: radiolytic degradation of, 1699; survival of lactic acid bacteria and lactases under conditions of, 506
thiobarbituric: role of phospholipid on reactive substances formation in chicken meat, skin and swine aorta, 1243
uric: effects of fermentation and storage on concentration in skim milk, 585; acidification of brined cherry peppers, 186

actomyosin
biochemical/physicochemical properties: of from hake stored on ice, 688; of cold stored adductor muscles of molina, 1567
effect of dose on irradiation induced formation of free radicals in freeze-dried, 1462

additives
yield and composition of surimi from whiting and effect on gel strength, 83

adipose
subcellular distribution and composition of lipid in, 43

adsorbents
evaluation of properties of polystyrene divinylbenzene for debittering grapefruit juice, 440

aflatoxin
characterization of peanut kernels subjected to gamma irradiation and effect on production of, 210
producing ability of spore of Aspergillus parasiticus exposed to gamma radiation, 275

agar
characterization of strains of S aureus by lipolytic activity on media, 591

age
effect on tenderness of beef muscles, 1
effects of freezing on physical properties and sensory characteristics of meat from fryer and senior rabbits, 568

agglutination
inhibition of lectin induced rabbit erythrocyte by hydrolysates of skeletal beef protein, 867

aggregation
of proteins in minced fish as studied by thermomechanical method, 1477

aging
composition of ham processed under minimal conditions, 285
effect of freezing of beef on, 573
effect on enzyme activity levels in beef, 318
effect on processing and eating quality attributes of beef, 1270

agriculture
glucosinolates in rutabaga grown in soil capped over coal fly ash, 556
harvest date and CA storage management effects on quality of processed apple slices, 1046

akara
effect of holding time on functionality of cowpea paste and quality of, 558
influence of microflora on chemical properties of cowpea paste, 141

albacore (Thunnus alalunga)
chemical composition and ice spoilage of, 678
determination by HPLC of fat-soluble vitamins in, 77

albumin
gelation of bovine serum by glutathione, 915

alcohol
production by Zymomonas mobilis on gamma-alumina pellets, 525
significance of copper in production of with fermentation of raisin extracts by cell recycle process, 1588

algin
effects of calcium and adipic acid concentration on muscle-juncture formation, 906
effects of connective tissue on restructured beef, 911

alginate
texturization of acid fruit pulps and juices, 1759

allergenicity
lipophilization of lactoglobulin: effect on, 718

allergy
quality improvement and evaluation of hypoallergenic rice grains, 1105

alumina
polysaccharide effects on cross flow microfiltration of wine with microporous membrane, 1598
potable alcohol production by Zymomonas mobilis on pellets, 525

amaranth
enzymatic production of high-protein flour and carbohydrate rich fraction, 1156

ammonia
fate of singrin in methanol/water-hexane extraction of B juncea mustard seed, 793

amylase
amylo-oligosaccharide formation from B stearothermophilus action on starches, 560
gelatinization and liquefaction of starch with heat stable alpha, 1365

analysis
acceleration of physicochemical change in carp muscle by washing in chilled or heated water, 674
acceptability and nutrient content of milk substitutes from cowpeas, 701
acidic characteristics of fermented and dried cocoa beans from different countries of origin, 547
activity and mobility of water in sweetened concentrated desludged soy beverages and rheological properties, 537
alteration of Talaromyces flavus heat resistance by growth conditions and heating medium composition, 830
biochemical and physicochemical properties of actomyosin from pre- and post-spawned hake stored on ice, 688
biochemical properties of actomyosin of cold stored adductor muscles of molina, 1567
changes in biochemical and bacteriological quality of grass prawn during transportation by icing and oxygenating, 670
changes in microflora and characteristics of vacuum-packaged pork loins irradiated at 3 kGy, 918
changes in orange juice during debittering, 273
characteristics of beef batters as influenced by electrical stimulation and postmortem salting time, 1518
characterization of: materials for lemon oil encapsulation by spray drying, 1356; oyster shucking liquid wastes and utilization as oyster soup, 374; peanut kernels subjected to gamma irradiation and effect on aflatoxin production by A parasiticus, 210; pink color in cooked turkey breast and pork loin, 1249; strains of S. aureus by lipolytic activity on agar media, 591
chemical and physical changes in beet root tissue during simulated processing-relevance to black ring defect in canned beets, 1039
chemical and sensory studies of antioxidant treated beef, 1501
chemical composition and ice spoilage of albacore, 678
chemical indicators of decomposition for raw surimi and flaked artificial crab, 349
cholesterol content of restructured pork-soy hull mixture, 1488
coloring pigments in fresh and fermented bilberry juices, 164
comparison of four methods for dietary fiber in winged bean seeds, 137
comparison of milk-based and soymilk-based yogurt, 532
comparison of quality characteristics of yellow and white fleshed peach, 1308
composition of apricot aroma: correlations between sensory and instrumental data, 735
correlation of extrudate infusibility with bulk properties using image, 1378
determination of: amino acids in cheese by flow injection with enzymic reactor and chemiluminescence detector, 1555; connective tissue using equations based on amino acids, 1506; pigments in red meats, 250; safrole and isosafrole in ham by HPLC with UV detection, 1194
diazotization-coupling technique for methyl anthranilate in grape products, 877
dietary fiber ingredients obtained by processing brewer's dried grain, 551
distribution of total and soluble fiber in various millstreams of wheat, 1349
drying, packaging, and storage effects on quality of basil, marjoram and wild marjoram, 1373
effect of alpha, gamma, and delta tocopherols on oxidative stability of soybean oil, 1464
effect of breed, sex and tissues on concentrations of macrominerals in goat meat, 308
effect of connective tissue on algin restructured beef, 911
effect of cooking on firmness, trypsin inhibitors, lectins and cystine/cysteine content of navy and red kidney beans, 470
effect of dose on irradiation induced formation of free radicals in freeze-dried natural actomyosin, 1462
effect of freezing on physical properties and sensory characteristics of meat from fryer and senior rabbits, 568
effect of frozen storage and processing factors on quality of surimi, 661
effect of heating bacon and sausage in nonwoven, melt-blown material, 298
effect of heat treatments on dietary fiber, 1647
effect of ingredients on physical/structural properties of extrudates, 1383
effect of moisture content on density, heat capacity and conductivity of pork/soy hull mixtures, 1491
effect of pH on formation, composition and rehydration capacity of winged bean and soybean protein-lipid film, 261
effect of pressure cooking and pressure rate change during cooling in vacuum on chicken quality and yield, 1531
effect of processing on soluble sugars of brassica seeds, 1470
effect of stabilizers on textural and sensory characteristics of yogurt ice cream from sheep's milk, 703
effect of temperature on properties of extrudates from high starch fractions of navy, pinto and garbanzo beans, 466
effect of temperature, time and number of water extractions on physicochemical and flavor characteristics of peanuts, 790
effect of thermal processing on lima bean vitamin B-6 availability, 154
effect of trimming and added connective tissue on compositional, physical and sensory properties of beef roasts, 1258
effect of variety, maturity and processing on pear juice quality and protein stability, 1610
enthalpy of denaturation and surface functional properties of heated egg white proteins in dry state, 1280
evaluation of: antioxidants in frankfurters containing chicken or pork, 629; heated frying oils containing added fatty acids, 1417; properties of polystyrene divinylbenzene adsorbents for debittering grapefruit juice, 440; warmed-over flavor during chill storage of cooked chicken by chemical, instrumental and sensory methods, 644
extraction and characterization of strawberry polyphenoloxidase, 1320
extraction of cholesterol and lipids from dried egg yolk using supercritical carbon dioxide, 95
fate of singrin in methanol/ammonia/water-hexane extraction of B juncea mustard seed, 793
feasibility study on determination of fish freshness by trimethylamine headspace, 1228
fish state and mixing time effects on textural characteristics of restructured catfish, 1747
flavor characteristics of forage- and grain-fed beef as influenced by phospholipid and fatty acid compositional differences, 312
formulation of corn-based snacks with high nutritive value:biological and sensory evaluation, 228
free amino acids in cheddar cheese: comparison of methods, 1552
freezing of banana slices: influence of maturity level and thermal treatment prior to freezing, 1070

functional characteristics, fatty acid composition, and palatability of bacon from pigs fed canola, 575
identification and quantification of popcorn like aroma in LA aromatic della rice, 1466
identification and reduction of ellagic acid in muscadine grape juice, 1607
identification of dry salami volatiles, 1239
influence of homofermentative lactobacilli on physicochemical and sensory properties of cheddar cheese, 386
influence of microflora on chemical properties of cowpea paste, 141
instrumental and sensory evaluation of textural properties of extrudates from blends of high starch/high protein fractions of dry beans, 1081
irradiation effects on shelf life and gel forming properties of red hake mince, 1745
kinetics of effect of processing factors on changes in color of comminuted meats during processing, 604
lipid changes in sea urchin gonads during storage, 967
lipid composition and flavor changes in irradiated mango, 1579
lipid composition and hydration characteristics of lung protein isolates defatted by solvents, 19
lipophilization of lactoglobulin: effect of hydrophobicity, conformation and surface functional properties, 711
low-fat, high-added water bologna: effects of massaging, preblending, and time of addition of water and fat on physical and sensory characteristics, 338
meat by-product protein composition and functional properties in model systems, 640 method for headspace volatiles of peanuts, 279
method for separation and quantitation of D-malic acid in fruit juice, 1614
methodology for quantification of geosmin and levels in rangia clam, 1233
microbiological and enological parameters during fermentation of musts from grape harvests, 1603
microbiological and physicochemical changes in vacuum-packaged beef treated with K sorbate, phosphate, NaCl and Na acetate, 323
microwave energy effects on quality of seed oils, 1412
mineral concentration modifications during pea canning, 751
mineral extraction techniques of citrus juices by atomic emission spectrometry, 1359
moisture sorption characteristics of ground sunflower nutmeat and its products, 786
molecular characteristics of pectins from enzyme-treated apple juice, 564
mutagenicity and identification of reaction products of chlorine or chlorine dioxide with tryptophan, 1714
nonheme iron evaluation of hemoglobin iron concentrate, 593
nutrients and chemical residues in farm-raised channel catfish, 954
of crabmeat volatile compounds, 962
of dairy products irradiated with cobalt-60 at -78xC, 404
of dry-cured ham processed to affect Trichinella spiralis, 289
of egg white/oat globulin co-gels, 99
of fermented grape juice continuously produced by immobilized Lactobacillus casei, 455
of hypoallergenic rice grains, 1105
of myoglobin for determination of beef, pork, horse, sheep and kangaroo meat in cooked products, 1528
of surimi from whiting and effect of protein additives on gel strength, 83
of sweetener sucralose in beverages, 244
of volatiles related to warmed over flavor of cooked chevron, 861
omega-3 fatty acids in Lake Superior fish, 71
optimized synthesis of sucrose polyesters: comparison of physical properties of sucrose polyesters, raffinose polyesters and salad oils, 236
physical/chemical properties: and compositional characteristics of beef carcasses selected for leanness, 9; and cooking yield of hamburgers prepared from accelerated processed beef, 1268; and gelation properties of chicken salt-soluble proteins, 1544; and sensory characteristics of beef steaks, 1264; and sensory properties of fermented summer sausage made from high-oleate pork, 937; and sensory characteristics of low-fat fresh pork sausage processed with various levels of added water, 625; as indicators of popping characteristics of microwave popcorn, 1352; involved in addition of inorganic phosphates to reduced Na meat emulsions, 23; of clarified guava juice, 1757; of dry-cured ham processed under minimal aging time/temperature conditions, 285
processing and sensory evaluation of scrambled eggs containing defatted yolk solids, 583
properties of cowpea paste as influenced by microflora, 146
properties of soybean proteins related to flow, viscoelastic, mechanical and water-holding characteristics of gels, 133
purification and characterization of strawberry polyphenoloxidase, 1315
quality of processed meats from pigs treated with porcine somatotropin, 929
red raspberry juice and wine: effect of processing and storage on anthocyanin pigment composition, color and appearance, 1011
relationship between freezing point depression and solute composition of fruit juice systems, 566
relationship between physicochemical properties of nonfish protein and textural properties of protein-incorporated surimi gel, 972
relationship of sulfur to ascorbic acid in vegetables, 181
role of phospholipid on TBA reactive substances formation in chicken meat, skin, and swine aorta, 1243
sensory and chemical characteristics of microwave reheated pork roasts, 618
sensory and chemical characteristics of pork roasts cooked to different endpoint temperatures, 613
shelf life enhancement of lamb meat under refrigeration by gamma irradiation, 865
shelf life of shrimp stored at different temperatures, 1201
sogurt, a yogurt-like soybean product: development and properties, 1178
soymilk yogurt: sensory evaluation and chemical measurement, 528
subcellular distribution and composition of lipids in muscle and adipose tissue, 43
tensile characteristics of squid mantle, 369
textural and chemical characteristics of beef roasts as influenced by boning time and salt level, 330
thermal denaturation of hake myofibrillar proteins by DSC and electrophoresis, 683
thermal gelation characteristics of myosin subfragments, 55
thiamin retention and characteristics of cooked beef loin roasts, 863
trypsin from pyloric ceca of atlantic cod, 959
variability in quantities of tannin and phenols in peach during maturation, 1585
volatile constituents of loquat fruit, 176
whey peptide fractions obtained with two-step UF process: production and characterization, 106

anchovie
histamine and tyramine during storage and spoilage of, 1192

animal assay
calcium bioavailability from ripening cheddar cheese, 1293
formulation of corn-based snacks with high nutritive value:biological and sensory evaluation, 228
functional characteristics, fatty acid composition, and palatability of bacon from pigs fed canola, 575
lack of vitamin B6 activity of 6-hydroxypyridoxine, 1143
protein and starch digestibility and flatulence potential of cowpeas, 151

animal science
acceptability of bacon as influenced by feeding of elevated levels of monounsaturated fats to growing-finishing swine, 621
effect of breed, sex and tissues on concentrations of macrominerals in goat meat, 308
effect of feeding elevated levels of monounsaturated fats to growing-finishing swine on acceptability of ham, 1485
effect of feeding monounsaturated fat to swine on acceptability of low-fat sausage, 1497
effect of freezing on physical properties and sensory characteristics of meat from fryer and senior rabbits, 568
flavor characteristics of forage- and grain-fed beef as influenced by phospholipid and fatty acid compositional differences, 312
headspace volatiles and sensory characteristics of ground beef from forage- and grain-fed heifers, 649
quality of processed meats from pigs treated with porcine somatotropin, 929

anthocyanin
influence of sugar on pigment stability in frozen strawberries, 1064
red raspberry juice and wine: effect of processing and storage on pigment composition, color and appearance, 1011
role of strawberry polyphenoloxidase in degradation of, 731

anthranilate
diazotization-coupling technique for analysis of in grape products, 877

antibiotic
residues and drug resistant bacteria in beef and chicken tissues, 632

antimutagen
effects of apple juices: interference with heat load measurement by microbiological method, 1026

antioxidant
chemical and sensory studies of treated beef, 1501
effect of ascorbic acid solubilized in oils via reversed micelles, 247
effect on oxidative stability and carbon dioxide formation in low fat dry milk, 401
effect on peroxidase activity of vegetable extracts, 184
effect on sensory and storage traits of restructured beef steaks, 1274
effect on solubility of irradiated food proteins in aqueous solutions, 1127
evaluation in frankfurters containing chicken or pork, 629

antisera
detection of pork in processed meat by ELISA using antiswine, 293

aorta
role of phospholipid on TBA reactive substances formation in swine, 1243

apple
antimutagenic effects of juices: interference with heat load measurement by microbiological methods, 1026

application
of browning inhibitors to by vacuum and pressure infiltration, 1049
effect of sulfur dioxide and storage temperature on sensory properties of juice, 728
harvest date and CA storage management effects on quality of processed slices, 1046
juice clarification using mineral membranes: fouling control by backwashing and pulsating flow, 1620
low pH inactivation of polyphenoloxidase in juice, 562
microfiltration and ultrafiltration for juice clarification, 1162
molecular characteristics of pectins from enzyme treated juice, 564
polyphenols in ciders: correlation with chlorogenic acid, 1458

apricot composition of aroma: correlations between sensory and instrumental data, 735
moisture sorption isotherms of, 1594
moisture sorption isotherms of dried, 1591

aquaculture
nutrients and chemical residues in Mississippi farm-raised channel catfish, 954

aroma
composition of apricot: correlations between sensory and instrumental data, 735
identification and quantification of popcorn-like in LA aromatic della rice, 1466
odorants in cucumbers and muskmelons by extract dilution analysis, 193
partition distribution of volatiles from orange juice into polymeric sealant films, 158

ascorbate
production of free radicals in infant formulas, 1133

ash
glucosinolates in rutabaga grown in soil capped over coal fly, 556

Aspergillus parasiticus
aflatoxin producing ability of spores of exposed to gamma radiation, 275
characterization of peanut kernels subjected to gamma irradiation and effect on aflatoxin production by, 210

astaxanthin
color in raw, baked and smoked flesh of trout fed, 1574
developing a color card for raw flesh of -fed salmon, 361

atmosphere
control of scald on pears by ethoxyquin: effect of concentration, time, method of application and storage, 167
effect of carbon dioxide on staling and water relations in bread, 411
effect on sugar accumulation and chip color in potatoes, 1341
flavor, texture, color, and hexanal and TBA values of frozen cooked beef packaged in modified, 26
packaging of fresh ready-to-use grated carrots in polymeric films, 1033
storage management effects on quality of processed apple slices, 1046
storage of oranges to enhance essence and oil, 1617
survival of Listeria monocytogenes on lettuce as influenced by modified packaging, 755

ATP
catabolites as flavor compounds and freshness indicators in cod and pollock, 257

availability
influence of milling method and peanut extract on iron from maize and sorghum flour gruels, 1657

B

Bacillus stearothermophilus
amylo-oligosaccharide formation from alpha-amylase action on starches, 560
kinetic parameters for inactivation at high temperatures, 488

backwashing
apple juice clarification using mineral membranes: fouling control by, 1620

bacon
acceptability as influenced by monounsaturated fat feeding to swine, 621
effect of heating in nonwoven, melt-blown material, 298
functional characteristics, fatty acid composition, and palatability of from pigs fed canola, 575
quality of from pigs treated with porcine somatotropin, 929
baking effect of dough materials on flavor formation in cookies, 409
properties of bread and cookies incorporating distillers' or brewer's grain from wheat or barley, 424
sensory quality and energy use for molasses cookies prepared with bleached and unbleached flour in infrared, forced air convection, and conventional deck ovens, 1095

bamboo shoots
thermal disintegration of tissues and polysaccharides fractionated by extraction, 739

banana
effect of manufacturing conditions on rheology of gelified milk: optimization of technology, 1630
freezing of slices: influence of maturity level and thermal treatment prior to freezing, 1070

barley
baking properties of bread and cookies incorporating distillers' or brewer's grain from, 424

basil
drying, packaging and storage effects on quality of, 1373

batter
characteristics of beef as influenced by electrical stimulation and postmortem salting time, 1518
cold stage SEM study of meat, 1196
effect of heating rate on stability, texture and gelation, 334

BDG
dietary fiber ingredients obtained by processing, 551

beans
cocoa: acidic characteristics of fermented and dried from different countries, 547
common: sensory evaluation of tempeh produced by fermentation, 123
evaluation of textural properties of extrudates from blends of high starch/high protein fractions of dry, 1081
faba: protein recovery and application to pilot scale processing, 1093
lima: effect of thermal processing on vitamin B-6 availability, 154
mung: DSC of starch, 771
navy and red kidney: effects of cooking on firmness, trypsin inhibitors, lectins, and cystine/cysteine content, 470
navy, pinto, garbanzo: effect of temperature on properties of extrudates from high starch fractions, 466
pinto: effect of infrared heat processing on rehydration rate and cooking of, 1472
reversibility of hard-to-cook defect in, 1474
snap: effects of salts and pH on heating-related softening of, 1312
white kidney: fractionation of extracts and crystalline and non-crystalline proteins from by ion-exchange HPLC, 777
winged: comparison of four methods for analysis of dietary fiber in, 137; effect of pH on formation, composition and rehydration capacity of protein-lipid film, 261

beef
antibiotic residues and drug resistant bacteria in, 632
characteristics of batters as influenced by electrical stimulation and postmortem salting time, 1518
characteristics of plasma gels as affected by pH, NaCl, and STP, 252
chemical and sensory studies of antioxidant treated, 1501
colonization of muscle surfaces by P fluorescens and P fragi, 898
comparison of homogenization by blending or stomaching on recovery of L monocytogenes from, 655
corn germ flour as extender in broiled patties, 888
determination of connective tissue using equations based on amino acid analysis, 1506
effect of animal age on tenderness of muscle, 1
effect of chloride salts on sensory and storage traits of restructured, 1274
effect of connective tissue on algin restructured, 911
effect of edible collagen film overwrap on exudation and lipid oxidation in, 1510
effect of freezing on postmortem aging and shear force, 573
effect of high pressure during heat treatment on shear force values of muscle, 15
effect of institutional heating methods of cold and hot boned restructured roasts, 658
effect of lactic acid on epimysial connective tissues of muscles used for restructured steaks, 859
effect of mechanically separated with chloride salts in steaks, 342
effect of post-cooking storage conditions on shear-force values of steaks, 858
effect of trimming and added connective tissue on compositional, physical and sensory properties of restructured, pre-cooked roasts, 1258
enzyme activity levels in: effect of postmortem aging and cooking temperature, 318
flavor characteristics of forage- and grain-fed as influenced by phospholipid and fatty acid compositional differences, 312
flavor, texture, color, and hexanal and TBA values of packaged in modified atmosphere, 26
headspace volatiles and sensory characteristics of from forage- and grain-fed heifers, 649
influence of aerobic metmyoglobin reducing capacity on color stability of, 1278
inhibition of lectin induced rabbit erythrocyte agglutination by hydrolysates of skeletal protein, 867
inhibition of modori in surimi by plasma hydrolysate and egg white, 665
lactic fermentation effects on preservative qualities of dendeng giling, 1523
lipid composition and hydration characteristics of lung protein isolates defatted by solvents, 19
Listeria in, 572
method for determining extract release volume of fresh and spoiled, 1475
microbiological and physicochemical changes in treated with K sorbate, phosphate, NaCl and Na acetate, 323
myoglobin analysis for determination in cooked products, 1528
palatability of chilled and frozen, 301
physical and compositional characteristics of carcasses selected for leanness, 9
physical, chemical and sensory characteristics of steaks, 1264
physical chemical properties and cooking yield of hamburgers prepared from accelerated processed, 1268
preparation of colorless globin from hemoglobin using Na alginate, 577
quality of patties as influenced by freezing rate, frozen storage temperature, and storage time, 893
reducing microbial populations on tissues: concentration and temperature of acid mixture, 903
shrouding, spray-chilling and vacuum-packaged aging effects on processing and eating quality attributes of, 1270
subcellular distribution and composition of lipids in muscle and adipose tissues, 43

textural and chemical characteristics of recombined precooked chuck roasts as influenced by boning time and salt level, 330
thermal destruction of Listeria monocytogenes in ground, 327
thiamin retention and characteristics of cooked loin roasts, 863

beer
detection of chemiluminescence produced during oxidation, 881
evaluation of deterioration by chemiluminescence, 1361

beet
chemical and physical changes in during simulated processing- relevance to black ring defect in canned, 1039
polyphenoloxidase activity associated with black ring defect in canned beets, 1042

betaine
as reactive intermediates in maillard reaction, 1124

beverage
alginate texturization of acid fruit pulps and juices, 1759
analysis and stability of sweetener sucralose in, 244
antimutagenic effects of apple juices: interference with heat load measurement by microbiological method, 1026
apple juice clarification using mineral membranes: fouling control by backwashing and pulsating flow, 1620
application of acid urease to wine: determination of trace urea in wine, 1018
changes in orange juice during debittering, 273
coloring pigments in fresh and fermented bilberry juices, 164
composition of fermented grape juice continuously produced by immobilized Lactobacillus casei, 455
detection of chemiluminescence produced during beer oxidation, 881
diacetyl measurement in orange juice using differential pulse polarography, 1164
effect of sulfur dioxide and storage temperature on sensory properties of apple juice, 728
effects of variety, maturity and processing on pear juice quality and protein stability, 1610
evaluation of beer deterioration by chemiluminescence, 1361
evaluation of properties of polystyrene divinylbenzene adsorbents for debittering grapefruit juice, 440
formation of 4-vinyl guaiacol in adversely stored orange juice measured by HPLC, 162
identification and reduction of ellagic acid in muscadine grape juice, 1607
low pH inactivation of polyphenoloxidase in apple juice, 562
method for separation and quantitation of D-malic acid in fruit juice, 1614
microbiological and enological parameters during fermentation of musts from grape harvests, 1603
microfiltration and ultrafiltration comparison for apple juice clarification, 1162
mineral extraction techniques of citrus juices as analyzed by atomic emission spectrometry, 1359
mobility and activity of water in sweetened concentrated desludged soy and rheological properties, 537
molecular characteristics of pectins from enzyme-treated apple juice, 564
partition distribution of aroma volatiles from orange juice into polymeric sealant films, 158
physical chemical characteristics of clarified guava juice, 1757
polyphenols in apples and ciders: correlation with chlorogenic acid, 1458
polysaccharide effects on cross flow microfiltration of wine with microporous alumina membrane, 1598
potable alcohol production by immobilized Zymomonas mobilis on gamma-alumina pellets, 525
red raspberry juice and wine: effect of processing and storage on anthocyanin pigment composition, color and appearance, 1011
relationship between freezing point depression and solute composition of fruit juice systems, 566
temperature and light effects on ethyl carbamate formation in wine during storage, 1166
viability of Lactobacillus plantarum in orange juice under low pH and temperature conditions, 1023

bicarbonate
for microbial control and improved water-binding capacity in cod, 1564

bilberry
coloring pigments in fresh and fermented juices, 164

binders
restructuring of mechanically deboned and in twin-screw extruder, 942

binding
bicarbonates for improved water- capacity in cod, 1564
effects of algin/calcium and adipic acid concentration on muscle-juncture formation, 906

bioassay
of dry-cured ham processed to affect Trichinella spiralis, 289
bioavailability of calcium from ripening cheddar cheese, 1293
biochemistry of actomyosin from hake stored on ice, 688
properties of actomyosin of cold stored adductor muscles of molina, 1567
quality of grass prawn during transportation by icing and oxygenating, 670

biot number
effect on accuracy of food freezing time prediction methods, 1429

bitterness
auto-oxidation in saffron at 40 C and 75% relative humidity, 595
black ring defect chemical and physical changes in beet during simulated processing- relevance to in canned beets, 1039
polyphenoloxidase activity associated with in canned beets, 1042

blanching
control of spoilage of canned mushrooms inoculated with C sporogenes by, 1331
effect on yield, quality and microbiological stability of canned mushrooms, 1327
bleaching efficiency of removing volatiles from menhaden oil by, 1669

blending
homogenization by: effect on recovery of Listeria monocytogenes from beef, 655

blood
characteristics of bovine plasma gels as affected by pH, NaCl, and STP, 252

bologna
low-fat, high-added water: effecs of massaging, preblending, and time of addition of water and fat on physical and sensory characteristics, 338

boning
effect on cooking yield and acceptability of emulsion-type pork sausage, 1255
textural and chemical characteristics of beef roasts as influence by time of, 330

bran
effect on physical/structural properties of extrudates, 1383
protein quality of muscle foods as affected by exchange of wheat for cellulose, 885

brassica
effect of processing on soluble sugars of seeds, 1470

bread baking
properties of incorporating distillers' or brewer's grain from wheat or barley, 424
effect of carbon dioxide atmosphere on staling and water relations in, 411

brine
acidification of cherry peppers, 186
effect on product quality of capers, 196
mechanism of acid-blanch and EDTA process inhibition of C sporogenes, 1137
ultrafiltration of green table olive: influence of operating parameters and effect of polyphenol composition, 214

broccoli
misting effects on ascorbic acid retention in during cabinet display, 1187
relationship of sulfur to ascorbic acid in, 181

browning
application of inhibitors to cut apple and potato by vacuum and pressure infiltration, 1049
contribution of sucrose to nonenzymatic in potato chips, 281
in model total parenteral nutrition solutions, 821 nonenzymatic nonoxidative in hydrolyzed cheese whey, 697
of dehydroascorbic acid and chlorogenic acid as function of water activity, 1425

BSA
bovine serum albumin) gelation of by glutathione, 915

BSG
baking properties of bread and cookies incorporating from wheat or barley, 424

bulk
correlation of extrudate infusibility with properties using image analysis, 1378

butylhydroquinone, 2-tert-
degradation products at frying temperature, 847

C

calcium
bioavailability from ripening cheddar cheese, 1293
carbonate: effect on texture, color and stability of restructured pork chops, 38
dialyzable from milk processed with soluble fiber-containing gums, thickeners and cocoa, 1004
effect of algin and adipic acid concentration on muscle-juncture formation, 906
effect on thermodynamics of cucumber tissue softening, 446
interaction with zinc and phytate in protein, 1720
oxalate: crystals: irritant factor in kiwifruit, 1066

sulfate: yield and quality of tofu as affected by soybean and soymilk: coagulant, 1088

calorimetry, differential scanning
of mung bean starch, 771
starch gelatinization in cold temperature sweetening resistant potatoes, 1338
thermal denaturation of hake myofibrillar proteins, 683

canning
acid-blanching and EDTA effects on yield, quality and microbiological stability of mushrooms, 1327
chemical and physical changes in beet during simulated processing-relevance to black ring defect, 1039
control of spoilage of mushrooms inoculated with C sporogenes by acid-blanching and EDTA, 1331
mineral concentration modification during pea, 751
numerical simulation of natural convection heating of thick viscous liquid foods, 1403

canola
functional characteristics, fatty acid composition, and palatability of bacon from pigs fed, 575
production of protein materials by alkaline extraction, precipitation, and membrane processing, 1147

canthaxanthin
color in raw, baked and smoked flesh of trout fed, 1574

capers
brining and packing conditions on product quality of, 196

capsicum
effect of irradiation on carotene content of red, 1185

carbamate
temperature and light effects on formation in wine during storage, 1166

carbohydrate
enzymatic production of high-protein amaranth flour and rich fraction of, 1156

carbon
dioxide: effect of atmosphere on staling and water relations in bread, 411; effects of processing conditions and antioxidants on formation of in low fat dry milk, 401; extraction of cholesterol and lipids from dried egg yolk using, 95
replacement of refined corn syrups with ion-exchanged corn syrups in ice cream formulations, 827
13: water mobility and crystallization action of lactose-water systems by NMR, 1435

carotene
effect of irradiation on content of mangos and red capsicums, 1185
extraction from reconstituted tomato paste and pink grapefruit homogenates, 1460

carp
acceleration of physicochemical change in muscle by washing in chilled or heated water, 674

carrot
determination of thermal diffusivity and heat transfer coefficient during sterilization of, 199
modified atmosphere packaging of fresh ready-to-use grated in polymeric films, 1033

carvone
interaction of cyclodextrin with enantiomers of, 1686

casein
comparison of vapor and liquid isotherms for sucrose mixtures, 434
continuous hydrolysis of milk protein in membrane reactor, 381
contribution of protein flexibility to foaming properties of, 1445
effect of chemical glycosylation on surface properties of soluble fraction of, 437
mobility and activity of water in model systems as determined by 2H NMR and sorption isotherms, 430
proteolysis of by papain in complex environment: influece of ionic strength on reaction products, 796
proteolysis of by papain: influence of ionic strength on kinetics, 801
use of flow cell to determine emulsifying properties of, 1152

caseinate
influence of preheating skimmilk on water-holding capacity of sodium salts of, 879
rotational diffusivity of solutes in: influence of glycosylation, 724
catabolism of nucleotide as freshness indicator in flatfish from gulf of Alaska, 1236

catalase
heat inactivation of from cod muscle and from psychrophilic bacteria, 581
purification of milk by immunoaffinity chromatography, 1172

catalysis
factors influencing lipid oxidation by soluble fraction of mackerel muscle, 947

catalyst
of lipid oxidation in mackerel muscle, 951
catfish (Ictalurus punctatus) fish state and mixing time effects on textural characteristics of restructured, 1747
nutrients and chemical residues in Mississippi farm-raised, 954

cell
recycle process significance of copper in alcohol production with fermentation of raisin extracts by, 1588

cellulose
effect on texture and freeze-thaw stability of surimi-based shellfish analog products, 87
protein quality of muscle foods as affected by exchange of wheat bran for, 885

centrifugation
evaluation of emulsion stability by, 1666

cheese
changes in lactic acid bacteria during ripening of Kefalotyri, 111
cheddar: calcium bioavailability from ripening, 1293; comparison of methods for free amino acids in, 1552; influence of lactobacilli on microflora and nitrogen components in, 391; influence of lactobacilli on physicochemical and sensory properties of, 386; quality of containing added lactobacilli, 114
determination of amino acids in by flow injection analysis with enzymic reactor and chemiluminescence detector, 1555
effect of heating and elevated temperature storage on whey, 1177
evaluation of 9 semi-pilot scale whey pretreatment modifications for producting whey protein concentrate, 510
GC determination of water content in, 1175
hydrocolloids enable fat reduction in process spreads, 1290
nonenzymatic nonoxidative browning in hydrolyzed whey, 697
quarg: effects and partitioning of bacterial cultures during manufacture of, 398

chemiluminescence
detection of produced during beer oxidation, 881
determination of amino acids in cheese by flow injection analysis with enzymic reactor and detector, 1555
evaluation of beer deterioration by, 1361

chemistry
acceleration of changes in carp muscle by washing in chilled or heated water, 674
effect of heat treatments on analysis of dietary fiber, 1647
evaluation of warmed-over flavor during chill storage of chicken, 644
of actomyosin from hake stored on ice, 688 of albacore, 678
of antioxidant treated beef, 1501
of beef steaks, 1264
of clarified guava juice, 1757
of microwave reheated pork roasts, 618
of pork roasts cooked to different end point temperatures, 613
properties of fermented summer sausage made from high-oleate pork, 937
properties of hamburgers prepared from accelerated processed beef, 1268

chevron
analysis of volatiles related to warmed over flavor of, 861
effect of breed, sex and tissues on concentrations of macrominerals in, 308

chicken
antibiotic residues and drug resistant bacteria in, 632
effect of dietary oils and tocopherol supplementation on membranal lipid oxidation in, 46
effect of dose on irradiation induced formation of free radicals in freeze-dried actomyosin, 1462
effect of pressure cooking and pressure rate change during cooling in vacuum on quality of, 1531
evaluation of antioxidants in frankfurters containing, 629
evaluation of warmed-over flavor during chill storage of by chemical, instrumental and sensory methods, 644
extraction of mutagens from chlorinated chiller water, 635
lipid oxidation in after roasting and refrigerated storage, 30
meat by-product protein composition and functional properties in model systems, 640
method for determining extract release volume of fresh and spoiled, 1475
physicochemical and gelation properties of salt-soluble proteins, 1544
restructuring of mechanically deboned and nonmeat binders in twin-screw extruder, 942
role of phospholipid on TBA reactive substances formation in meat and skin, 1243
thermal transitions of salt-soluble proteins from, 1540
tocopherols determined by reverse phase liquid chromatography, 1536

chilling
effect on processing and eating quality attributes of beef, 1270

chloride
effect of mechanically separated beef with salts in steaks, 342
effect of salts on sensory and storage traits of restructured beef steaks, 1274

chlorine
dioxide: mutagenicity and identification of reaction products of with tryptophan, 1714
extraction of mutagens from poultry chiller water, 635
mutagenicity and identification of reaction products of chlorine or chlorine dioxide with tryptophan, 1714
survival of Listeria monocytogenes on lettuce as influence by treatment, 755

cholesterol
content of pork-soy hull mixture, 1488
extraction from dried egg yolk using supercritical carbon dioxide, 95
oxidative stability of -free egg lipid fractions, 92
prediction of oxides in heated tallow by dielectric measurement, 1673
subcellular distribution and composition of lipids in muscle and adipose tissue, 43

chopping
effects on cooking yield and acceptability of emulsion-type pork sausage, 1255

chromatography
gas: determination of water content in cheese, 1175; of volatile flavor components in peach, 1303; plant sterols in soybean hulls, 271; styrene monomer migration as monitored by purge and trap, 522; water sorption of coffee solubles by frontal inverse: thermodynamic considerations, 475
high performance liquid: determination of fat-soluble vitamins in albacore, 77; determination of safrole and isosafrole in ham by, 1194; formation of 4-vinyl guaiacol in orange juice by, 162; fractionation of extracts and crystalline and non-crystalline proteins from white kidney beans by ion-exchange, 777; molecular characteristics of pectins from enzyme-treated apple juice, 564; of polyphenol oxidase from Theobroma cacao, 1108
purification of milk catalase by immunoaffinity, 1172
tocopherols in chicken determined by reverse phase liquid, 1536

cider
polyphenols in apples: correlation with chlorogenic acid, 1458

citrus
mineral extraction techniques of juices as analyzed by atomic emission spectrometry, 1359

clam
(Rangia cuneata) quantification of geosmin in, 1233
clarification microfiltration and ultrafiltration for apple juice, 1162
of apple juice using mineral membranes: fouling control by backwashing and pulsating flow, 1620
physical chemical characteristics of guava juice, 1757

cleaning
application of ellipsometry to evaluate surface effectiveness, 1749
polymers decrease time of ultrafiltration membrane fouled with pectin, 873

Clostridium
botulinum: inhibition of 33A, 40B, and 1623E by essential oil of spices, 1676; type E: thermal inactivation of in oyster homogenates at minimal processing temperatures, 372
butyricum: effect of heat and pH on, 1725
sporogenes: control of spoilage of canned mushrooms inoculated with by acid-blanching and EDTA, 1331; PA 3679: mechanism of acid-blanch and EDTA process inhibition of, 1137
coagulant yield and quality of tofu as affected by soybean and soymilk: calcium sulfate, 1088

coatings
potassium sorbate permeability of methylcellulose and hydroxypropyl methylcellulose: effect of fatty acids, 841

cobalt
sensory analysis of dairy products irradiated with, 404

cocoa
acidic characteristics of fermented and dried beans from different countries, 547
dialyzable calcium from milk processed with soluble fiber-containing, 1004

cod
Gadus morhua) ATP catabolites as flavor compounds and freshness indicators in, 257
bicarbonates for microbial control and improved water-binding capacity in, 1564
cryoprotectant effects on surimi proteins during frozen storage, 1222
cryoprotective effects of lactitol, palatinit and polydextrose on surimi proteins during frozen storage, 356
heat inactivation of catalase from muscle and from psychrophilic bacteria, 581
properties of trypsin from pyloric ceca of, 959

coffee
water sorption of solubles by frontal inverse GC: thermdynamic considerations, 475

collagen
effect of film overwrap on exudation and lipid oxidation in beef, 1510
thermal denaturation of perimysium in meat measured by polarized light microscopy, 305

color
auto-oxidation in saffron at 40 C and 75% relative humidity, 595
changes during post-harvest storage of lychee fruit, 1762
characterization of pink in cooked turkey breast and pork loin, 1249
developing a card for raw flesh of astaxanthin-fed salmon, 361
effect of calcium carbonate and Na alginate on restructured pork chops, 38
effect of low temperature and modified atmosphere on potato chip, 1341
in meat systems during frozen storage, 1513
in raw, baked and smoked flesh of trout fed astaxanthin or canthaxanthin, 1574
influence of metmyoglobin reducing capacity on stability of beef, 1278
kinetic analysis of processing factors on changes in of comminuted meats during processing, 604
kinetics of changes in milk due to heat, 1766
of frozen cooked beef packaged in modified atmosphere, 26
of gold, bronze and black Tilapia mossambica, 255
pigments in fresh and fermented bilberry juices, 164
quality improvement and evaluation of hypoallergenic rice grains, 1105
red raspberry juice and wine: effect of processing and storage on anthocyanin pigment, 1011

colorant
electrolytic reduction of heme proteins: preparation of stable for sausage, 1689

colorimetry
development of nucleic acid hybridization method for detection of Salmonella in foods, 1394
conductivity effect of moisture content on pork/soy hull mixtures, 1491
evaluation of emulsion stability by centrifugation with measurements of, 1666
of surimi- measurement and modeling, 1217

cone
edible methylcellulose-based films as moisture-impermeable barriers in sundae ice cream, 1468
conglycinin, beta comparison of purification procedures for, 283
connective tissue determination in beef using equation based on amino acid analysis, 1506
effect of added on compositional, physical and sensory properties of beef roasts, 1258
effect of lactic acid on of muscles used for restructured beef steaks, 859
effect on algin restructured beef, 911

containers
styrene monomer migration as monitored by purge and trap GC and sensory analysis for polystyrene, 522

continuous lift
determining viscosity of fluid foods by, 1170

cookies
baking properties of incorporating distillers' or brewer's grain from wheat or barley, 424
effects of dough materials on flavor formation in, 409
sensory quality and energy use for molasses with bleached and unbleached flour baked in infrared, forced air convection, and conventional deck ovens, 1095

cooking
development of -proof methods for vitamin enrichment of rice, 1102
effect of high pressure during on shear force of beef muscles, 15
effect of infrared heat processing on pinto beans, 1472
effect of salts and pH on heating-related softening of snap beans, 1312
effect of storage conditions on shear-force values of beef steaks, 858
effect of surimi addition to pasta on firmness, 1481
effect of temperature on enzyme activity in beef, 318
effect on chicken quality and yield, 1531
effect on firmness, trypsin inhibitors, lectins and cystine/cysteine content of navy and red kidney beans, 470
hot-boning, tumbling, salt and chopping temperature effects on yield and accaptability of emulsion-type pork sausage, 1255
method to determine destruction of bacterial spores during extrusion, 1388
myoglobin analysis for determination of beef, pork, horse, sheep and kangaroo meat in products, 1528
properties of lamb chops cooked with and without external fat and epimysium, 570
sensory and chemical characteristics of pork roasts at different endpoint temperatures, 613
yield of hamburgers prepared from accelerated processed beef, 1268

cooling
crystallization kinetics of lactose monohydrate in continuous crystallizer, 816
effect of pressure rate change during on chicken quality and yield, 1531

coomassie blue G
evaluation of heat-damage to protein by dye-binding, 805

copper
significance in alcohol production with fermentation of raisin extracts by cell recycle process, 1588

corn
effect of salt, sugar and screw speed on processing and product variables of meal extruded with twin-screw extruder, 224
formulation of snacks with high nutritive value:biological and sensory evaluation, 228
germ protein flour as extender in broiled beef patties, 888
pretreating dent grits for puffing in rice cake machine, 1345
rheological modeling of starch doughs at low to intermediate moisture, 417
twin-screw extrusion modificaton of fiber and starch blend, 746

corn starch
rheological modeling of doughs at low to intermediate moisture, 417

corn syrup
replacement of carbon-refined with ion-exchanged in ice cream formulations, 827

cowpea
acceptability and nutrient content of milk substitutes from, 701
effect of holding time on functionality of paste and quality of akara, 558
effect of pre-decortication drying treatment on microstructure of, 774
influence of microflora on chemical properties of paste, 141
modelling water absorption in at three temperatures using Peleg's equation, 1084
properties of paste as influenced by microflora, 146
protein and starch digestibility and flatulence potential of, 151
reversibility of hard-to-cook defect in, 1474

crab
amino acid hydrolysate from processing waste, 379
analysis of volatile compounds, 962
chemical indicators of decomposition for artificial, 349

creep
effect of temperature on viscoelastic properties and activation energies of whey protein gels, 1296
viscoelastic properties of whey protein gels: mechanical model and effects of protein concentration on, 516

cryoprotectant
effects in surimi and surimi/mince-based extruded products, 1210
effect of lactitol, palatinit and polydextrose on cod surimi proteins during frozen storage, 356
effect of materials on cod-surimi proteins during frozen storage, 1222

crystallization
action of lactose-water systems by O-17 and C-13 NMR, 1435
kinetics of lactose monohydrated in continuous cooling crystallizer, 816
of lactose in skim milk powder observed by hydrodynamic equilibria, SEM and NMR, 994

crystals
of calcium oxalate: irritant factor in kiwifruit, 1066

cucumber
effect of calcium ions on thermodynamics of tissue softening, 446
Lactobacillus plantarum and Enterobacter cloacae growth in extract containing salt, 1634
odorants in by aroma extract dilution analysis, 193

curing
bioassay analysis of ham processed to affect Trichinella spiralis, 289
composition of ham processed under minimal aging time/temperature conditions, 285
study of white film developed on cut surface of ham slices, 1189

currant
moisture sorption isotherms of, 1594

cyclodextrin
interaction with enantiomers of limonene and carvone, 1686

cysteine
effects of cooking on content of navy and red kidney beans, 470
thermal destruction of soy protein under conditions of gelation, 1077

cystine
effects of cooking on content of navy and red kidney beans, 470
thermal destruction of soy protein under conditions of gelation, 1077

D

dairy products
effects of gamma irradiation at -78C on microbial populations in, 1284
sensory analysis of with cobalt-60, 404

deamidation
during treatment of soy protein with protease, 127

debittering
changes in orange juice during, 273
evaluation of properties of polystyrene divinylbenzene adsorbents for grapefruit juice, 440

deboning
mechanical restructuring of chicken and nonmeat binders in twin-screw extruder, 942

decomposition
chemical indicators of for raw surimi and flaked artificial crab, 349

decortication
effects of drying treatment on microstructure of cowpea products, 774

defatting
lipid composition and hydration characteristics of lung protein isolates, 19

degradation
kinetics of methylmethionine sulfonium salt destruction in model particulate system, 502
of oval-filefish meat gel caused by myofibrillar proteinases, 364
of sorbic acid, 1699
of texture in kamaboko by addition of mushrooms, 979
of threadfin-bream meat gel, 259
products of 2-tert-butylhydroquinone at frying temperature, 847
role of strawberry polyphenoloxidase in anthocyanin, 731

delayed light emission
as indicator of peach maturity, 1581

denaturation
enthalpy of heated egg white proteins in dry state, 1280
influence on solubility and water absorbing capacity of soy protein isolates, 765
kinetic compensation effect in whey protein, 589
of hake myofibrillar proteins, 683
of perimysial collagen in meat measured by polarized light microscopy, 305
of proteins in minced fish as studied by thermomechanical method, 1477
thermal transitions of salt-soluble proteins from chicken muscles, 1540

density
effect of moisture content on of pork/soy hull mixtures, 1491
in drying starch materials, 1367

deodorization
efficiency of removing volatiles from menhaden oil by, 1669

deterioration
evaluation of beer by chemiluminescence, 1361

diacetyl
measurement in orange juice using differential pulse polarography, 1164

dialysis
of calcium from milk processed with soluble fiber-containing gums, thickeners, and cocoa, 1004

diazotization
coupling technique for analysis of methyl anthranilate in grape products, 877

dielectric
prediction of cholesterol oxides in heated tallow by, 1673

diet
comparison of four method for fiber in winged bean seeds, 137
effect of oil and tocopherol supplementation on membranal lipid oxidation in chicken, 46
fiber ingredients obtained by processing brewer's dried grain, 551

diffusion
during chemical peeling of tomatoes, 552

diffusivity
method of estimation of from drying data, 218
of solutes in caseinates: influence of glycosylation, 724

digestibility
effect of germination and fermentation on starch and protein of pearl millet, 883
lipophilization of lactoglobulin: effect on, 718
of protein and starch of germinated cowpeas, 151

dilatancy
in starch solutions under low acid aseptic processing conditions, 1764

discoloration
chemical and physical changes in beet root during simulated processing- relevance to black ring defect in canned beets, 1039
polyphenoloxidase activity associated with black ring defect in canned beet, 1042

display
misting effects on ascorbic acid retention in broccoli during, 1187

divinylbenzene
evaluation of properties of polystyrene adsorbents for debittering grapefruit juice, 440

dough
effects of materials on flavor formation in baked cookies, 409

dressing
use of magnetic resonance procedures for measurement of oil in french-style, 763

drug
antibiotics and bacteria resistant to in beef and chicken, 632

drying
characterization of materials for lemon oil encapsulation by spray, 1356
density and porosity in starch materials, 1367
effect of pre-decortication treatment on microstructure of cowpea products, 774
effect on quality of basil, marjoram and wild marjoram, 1373
effect on water sorption and phase transitions of freeze-dried horseradish roots, 206
method of estimation of effective moisture diffusivity from data for, 218
of roselle extract, 1073
prediction of flavor retention during, 1683
survival of lactic acid bacteria during of yogurt, 1008

dye
evaluation of heat-damage to protein by coomassie blue G binding, 805

E

EDTA
control of spoilage of canned mushrooms inoculated with C sporogenes by, 1331
effect on yield, quality and microbiological stability of canned mushrooms, 1327
mechanism of process inhibition of C sporogenes, 1137

egg
correlation of protein sulfhydryls with strength of heat-formed white gels, 1753
enthalpy of denaturation and surface functional properties of heated white proteins in dry state, 1280
extraction of cholesterol and lipids from dried yolk using supercritical carbon dioxide, 95
inhibition of modori in surimi by white, 665
oxidative stability of cholesterol-free lipid fractions, 92
processing and sensory evaluation of containing defatted yolk solids, 583
rheological and structural properties of white/oat globulin co-gels, 99
sandwich enzyme immunoassay of hen lysozyme in foods, 103

electrical stimulation
characteristics of beef batters as influenced by, 1518

electrolyte
reduction of heme proteins: preparation of stable colorant for sausage, 1689

electrophoresis
thermal denaturation of hake myofibrillar proteins, 683

ELISA
detection of pork in processed meat by using antiswine antisera, 293

ellipsometry
application of to evaluate surface cleaning effectiveness, 1749

emulsification
effects of food macromolecules in presence of ethanol, 875
influence of enzymatic hydrolysis on sardine protein hydrolysates, 1571
use of flow cell to determine properties of casein, 1152

emulsion
capacity: factors affecting as measure of protein functionality for nonmeat proteins, 267
evaluation of stability by centrifugation with conductivity measurements, 1666
hot-boning, tumbling, salt and chopping temperature effects on cooking yield and acceptability of pork sausage, 1255
physical parameters involved in addition of inorganic phosphates to reduced Na meat, 23

enantiomers
interaction of cyclodextrin with limonene and carvone, 1686

encapsulation
characterization of materials for lemon oil by spray drying, 1356

energy
effect of temperature on activation of whey protein gels, 1296
for baking of molasses cookies prepared with bleached and unbleached flour and baked in infrared, forced air convection, and conventional deck ovens, 1095
microwave effects on quality of seed oils, 1412
model for quantitating based on water, sugar and salt contents, 543
temperature effects on food contact surface properties, 1199

enology
parameters during fermentation of musts from grape harvests, 1603

Enterobacter cloacae
in cucumber extracts containing salt, 1634

enthalpy
of denaturation and surface functional properties of heated egg white proteins in dry state, 1280

enzyme
activity levels in beef: effect of postmortem aging and cooking temperature, 318
amylo-oligosaccharide formation from B stearothermophilus alpha-amylase action on starches, 560
application of acid urease to wine: determination of trace urea in wine, 1018
changes during post-harvest storage of lychee fruit, 1762
control of muscle softening and protease parasite interactions in arrowtooth flounder, 579
deamidation during treatment of soy protein with protease, 127
degradation of oval-filefish meat gel caused by myofibrillar proteinases, 364
determination of amino acids in cheese by flow injection analysis with reactor and chemiluminescence detector, 1555
effects of antioxidants on peroxidase activity of vegetable extracts, 184
esterolytic and lipolytic activities of Lactobacillus casei-subsp-casei LLG, 119
extraction and HPLC enrichment of polyphenol oxidase from Theobroma cacao, 1108
extraction and characterization of strawberry polyphenoloxidase, 1320
gelatinization and liquefaction of starch with heat stable alpha amylase, 1365
heat inactivation of catalase from cod muscle and from psychrophilic bacteria, 581
influence of hydrolysis on structure and emulsifying properties of sardine protein hydrolysates, 1571
lipase mediated synthesis of low molecular weight flavor esters, 1679
low pH inactivation of polyphenoloxidase in apple juice, 562
method to differentiate between fresh and frozen-thawed fish, 74
molecular characteristics of pectins from treated apple juice, 564
polyphenoloxidase activity associated with black ring defect in canned beet, 1042
production of high-protein amaranth flour and carbohydrate rich fraction, 1156
production of hypoallergenic by decomposition of constituent proteins, 781
protein and starch digestibility and flatulence potential of germinated cowpeas, 151
proteolysis of casein by papain in complex enviromnent: influence of ionic strength on reaction products, 796
proteolysis of casein by papain:influence of ionic strength on kinetics, 801
purification of milk catalase by immunoaffinity chromatography, 1172
respiratory activity in low temperature sweetening of susceptible and resistant potatoes, 1060
sandwich immunoassay of hen egg lysozyme in foods, 103
strawberry polyphenoloxidase: purification and characterization, 1315; role in anthocyanin degradation, 731
survival of lactic acid bacteria and lactases under acidic conditions, 506

epimysium
effects of lactic acid on connective tissues of muscles used for restructured beef steaks, 859
sensory and cooking properties of lamb chops cooked with and without external, 570

ERV
(extract release volume) method for determining in fresh and spoiled beef and poultry, 1475

erythorbic acid
effect on shelf life of hake and mackerel, 64

erythrocyte
inhibition of lectin induced rabbit agglutination by hydrolysates of skeletal beef protein, 867

essence
controlled atmosphere storage of oranges to enhance, 1617

ester
lipase mediated synthesis of low molecular weight flavor, 1679

esterolysis
activities of Lactobacillus casei-subsp-casei LLG, 119

ethanol
emulsifying effects of food macromolecules in presence of, 875

ethoxyquin
control of scald on pears by: effect of concentration, time, method of application, and storage, 167; oxidation of farnesene, 171

extender
corn germ flour as in broiled beef patties, 888

extract
fractionation of from white kidney beans by ion-exchange HPLC, 777
influence of peanut on iron availability from maize and sorghum flour gruel, 1657

method for determining release volume of fresh and spoiled beef and poultry, 1475
significance of copper in alcohol production with fermentation of raisin by cell recycle process, 1588

extraction
differences between bamboo shoots and vegetables in thermal disintegration of tissues and polysaccharides fractionated by, 739
effect of number of on physicochemical and flavor characteristics of peanuts, 790
fate of singrin in methanol/ammonia/water-hexane of B juncea mustard seed, 793
of cholesterol and lipids from dried egg yolk using supercritical carbon dioxide, 95
of lycopene and carotene from reconstituted tomato paste and pink grapefruit homogenates, 1460
of mutagens from chlorinated poultry chiller water, 635
of polyphenol oxidase from Theobroma cacao, 1108
of strawberry polyphenoloxidase, 1320
production of canola protein materials by alkaline, 1147
techniques of citrus juices as analyzed by atomic emission spectrometry, 1359

extrudate
correlation of infusibility with bulk properties using image analysis, 1378
effect of ingredients on physical/structural properties of, 1383
effect of temperature on properties of from high starch fractions of navy, pinto and garbanzo beans, 466
high-temperature short-time pasta processing: effect of formulation on properties, 1651
instrumental and sensory evaluation of properties of from blends of high starch/high protein fractions of dry beans, 1081

extrusion
determination of rheological behavior of tomato concentrates using, 554
effect of salt, sugar and screw speed on processing and product variables of corn meal, 224
method to determine destruction of bacterial spores during cooking, 1388
restructuring of mechanically deboned chicken and nonmeat binders in twin-screw, 942
twin-screw modification of corn fiber and corn starch extruded blend, 746

exudate
effect of edible collagen film overwrap on beef, 1510

F

farnesene, alpha
control of scald on pears by ethoxyquin: oxidation of, 171

fat
acceptability of bacon as influenced by feeding monounsaturates to swine, 621
bologna: effects on physical and sensory characteristics, 338
determination by HPLC of -soluble vitamins in albacore, 77
effect of feeding monounsaturates to swine on acceptability of ham, 1483
effect of feeding monounsaturates to swine on acceptability of sausage, 1497
effect of processing conditions and antioxidants on oxidative stability and carbon dioxide formation in dry milk, 401
hydrocolloids enable reduction of in process cheese spreads, 1290
low- frankfurters with elevated levels of water and oleic acid, 871
physical and sensory characteristics of pork sausage low in, 625
sensory and cooking properties of lamb chops cooked with and without external, 570

fermentation
acidic characteristics of cocoa beans from different countries, 547
coloring pigments in bilberry juice, 164
composition of grape juice continuously produced by immobilized Lactobacillus casei, 455
effect on concentration of orotic acid and uric acid in skim milk, 585
effect on phytic acid and polyphenol content of pearl millet, 1180
effect on preservative qualities of dendeng giling, 1523
effect on starch and protein digestibility of pearl millet, 883
influence of lactobacilli on microflora and nitrogen components in cheddar cheese, 391
influence of lactobacilli on physicochemical and sensory properties of cheddar cheese, 386
microbiological and enological parameters during of musts from grape harvests, 1603
physical, chemical and sensory properties of summer sausage made from high-oleate pork, 937
sensory evaluation of tempeh produced by common beans, 123
significance of copper in alcohol production with raisin extracts by cell recycle process, 1588

fiber
comparison of four methods for analysis in winged bean seeds, 137
dialyzable calcium from milk processed with -containing gums, thickeners and cocoa, 1004
dietary ingredients obtained by processing brewer's dried grain, 551
distribution of in various millstreams of wheat, 1349
effect of heat treatments on analysis of dietary, 1647
protein quality of muscle foods as affected by exchange of dietary wheat bran for cellulose, 885
role of muscle in firmness of cooked fish, 693
twin-screw extrusion modification of corn, 746

fig
moisture sorption isotherms of, 1594; dried, 1591

film
developed on cut surface of vacuum-packed dry-cured ham slices, 1189
edible methylcellulose-based as moisture-impermeable barriers in sundae ice cream cones, 1468
effect of edible collagen overwrap on exudation and lipid oxidation in beef, 1510
effect of pH on formation, composition and rehydration capacity of winged bean and soybean protein-lipid, 261
modified atmosphere packaging of fresh ready-to-use grated carrots in polymeric, 1033
partition distribution of aroma volatiles from orange juice into polymeric sealant, 158

finfish
species as potential fish oil source, 1743

firmness
effect of cooking on navy and red kidney beans, 470
effect of surimi addition to pasta on cooked, 1481
role of muscle fibers in of cooked fish, 693

flatfish
nucleotide catabolism as freshness indicator in, 1236

flatulence
potential of germinated cowpeas, 151

flavonoids
effect on peroxidase activity of vegetable extracts, 184

flavor
analysis of crabmeat volatile compounds, 962
analysis of volatiles related to cooked chevron, 861
ATP catabolites as compounds in cod and pollock, 257
changes in irradiated mango, 1579
characteristics of forage- and grain-fed beef as influenced by phospholipid and fatty acid compositional differences, 312
dynamic headspace concentration and GC of volatile components in peach, 1303
effect of dough materials on formation of in baked cookies, 409
effect of temperature, time and number of water extractions on peanuts, 790
enzyme activity levels in beef:effect of postmortem aging and end-point cooking temperature, 318
evaluation of warmed-over during chill storage of chicken by chemical, instrumental and sensory methods, 644
lipase mediated synthesis of low molecular weight esters, 1679
of frozen cooked beef packaged in modified atmosphere, 26
oxygen permeability of polyethylene as function of limonene absorption: approach to modeling scalping, 587
prediction of retention during spray drying, 1683

flexibility
contribution to foaming properties of casein, 1445

flounder
control of muscle softening and protease parasite interactions in, 579

flour
corn germ as extender in broiled beef patties, 888
effect of heat-treatment of wheat on pancake springiness, 784
enzymatic production of high-protein amaranth and carbohydrate rich fraction, 1156
influence of milling method and peanut extract on iron availability from maize and sorghum gruels, 1657
sensory quality and energy use for molasses cookies with bleached and unbleached, 1095

flow
apple juice clarification using mineral membranes: fouling control by backwashing and pulsating, 1620
distributions of food particle suspensions in holding tube: distribution characteristics and fastest-particle velocities, 1703
properties of soybean proteins related to characteristics of gels, 133
velocity distributions of food particle suspensions in holding tube: experimental and modeling studies, 1448
flow cell use to determine emulsifying properties of casein, 1152

flow injection
determination of amino acids in cheese by analysis with enzymic reactor and chemiluminescence detector, 1555

foaming
contribution of protein flexibility to properties of casein, 1445
effect of succinylation of lactoglobulin properties, 1735
pH and heat treatment effects on whey protein isolate, 1116
standardized procedure for measuring properties of proteins, 1441

forage
flavor characteristics of -fed beef as influenced by phospholipid and fatty acid composition, 312

headspace volatiles and sensory characteristics of ground beef from -fed heifers, 649

force
role of noncovalent in micellization using legumin from Vicia faba, 1638
fouling apple juice clarification using mineral membranes: control by backwashing and pulsating flow, 1620

fractal
structure of deformed potato starch and sorption characteristics, 1334

fractionation
of extracts and crystalline and non-crystalline proteins from white kidney beans by ion-exchange HPLC, 777

frankfurters
evaluation of antioxidants in containing chicken or pork, 629
low-fat with elevated levels of water and oleic acid, 871

free radical
effect of dose on irradiation induced formation of in freeze-dried actomyosin, 1462
production of ascorbate in infant formulas, 1133

freeze-drying
effect of dose on irradiation induced formation of free radicals in actomyosin, 1462
effect of drying conditions on water sorpt'on and phase transitions of horseradish, 206

freeze-thaw
enzymatic method to differentiate between fresh and frozen-thawed fish, 74

freezing
cryoprotectant effects in surimi and surimi/mince-based extruded products, 1210
cryoprotectant effects on cod-surimi during storage, 1222
cryoprotective effects of lactitol, palatinit and polydextrose on cod surimi protein during storage, 356
effect of beef on postmortem aging and shear force, 573
effect on accuracy of time prediction methods, 1429
effect on physical properties and sensory characteristics of meat from fryer and senior rabbits, 568
effect on quality of surimi, 661
influence of sugar on anthocyanin pigment stability in strawberries, 1064
Leidenfrost phenomenon: investigation of vaporization of nitrogen droplets on food surface, 808
lipid oxidation and color stability in meat systems during storage, 1513
method to determine initial point of foods, 1711
of banana slices: influence of maturity level and thermal treatment prior to, 1070
point: relationship between depression of and solute composition of fruit juice systems, 566
quality of beef and soy-extended patties as influenced by rate of, 893

freshness
assessment of New England fish species using the torrymeter, 79
ATP catabolites as indicator of in cod and pollock, 257
feasibility study on determination of by trimethylamine headspace analysis, 1228
nucleotide catabolism as indicator of in flatfish from gulf of Alaska, 1236

fruit
volatile constituents of loquat, 176

fruitiness
time-intensity evaluation of in model solution, 450

frying
degradation products of 2-tert-butylhydroquinone at temperature of, 847
evaluation of heated oils containing added fatty acids, 1417

functionality
effect of holding time on of cowpea paste and quality of akara, 558

G

galactose
water activity of, 1174

gel
characteristics of bovine plasma as affected by pH, NaCl, and STP, 252
correlation of protein sulfhydryls with strength of heat-formed egg white, 1753
degradation of oval-filefish caused by myofibrillar proteinases, 364
effect of algin/calcium and adipic acid concentration on muscle-juncture formation, 906
effect of manufacturing conditions on rheology of milk: optimization of technology, 1630
effect of rigor mortis on -forming properties of surimi and mince prepared from Tilapia, 351
effect of temperature on viscoelastic properties and activation energies of whey protein, 1296
inhibition of weakening in surimi by plasma hydrolysate and egg white, 665
irradiation effects on forming properties of red hake mince, 1745
properties of soybean proteins related to flow, viscoelastic, mechanical and water-holding characteristics of, 133
proteolytic degradation of threadfin-bream, 259
quantification of shrimp in shrimp-surimi mixtures using urea IEF, 1206
relationships between physicochemical properties of nonfish protein and textural properties of surimi, 972
rheological and structural properties of egg white/oat globulin co-, 99
strength of prepared from minces of hoki stored in ice, 976
textural degradation of kamaboko by addition of mushrooms, 979
viscoelastic properties of whey protein: mechanical model and effects of protein concentration on creep, 516
yield and composition of surimi from whiting and effect of protein additives on strength, 83

gelatin
Leidenfrost phenomenon: investigation of vaporization of nitrogen droplets on, 808

gelatinization
model for quantitating degree of based on water, sugar and salt contents, 543
of starch in cold temperature sweetening resistant potatoes, 1338
of starch with heat stable alpha amylase, 1365

gelation
development of test to predict properties of raw turkey muscle proteins, 932
effect of heating rate on meat batter, 334
effect of ionic strength on dynamic viscoelastic behavior of myosin during thermal, 51
of bovine serum albumin by glutathione, 915
of myofibrillar proteins and sausages: effect of blood plasma and globin, 1494
properties of chicken salt-soluble proteins, 1544
thermal characteristics of myosin subfragments, 55
thermal destruction of cysteine and cystine residues of soy protein under conditions of, 1077

geosmin
quantification of in rangia clam, 1233

germination
effect of starch and protein digestibility of pearl millet, 883
effect on phytic acid and polyphenol content of pearl millet, 1180

giling, dendeng
lactic fermentation effects on preservative quality of, 1523

glazing
effect on shelf life of hake and mackerel, 64

globin
heat-induced gelation of myofibrillar proteins and sausages: effect of, 1494
preparation of colorless from bovine hemoglobin using Na alginate, 577

globulin
rheological and structural properties of egg white/oat co-gels, 99

glucosinolate
in rutabaga grown in soil capped over coal fly ash, 556

glutathione
gelation of bovine serum albumin by, 915

glycoalkaloid
effect of irradiation on in potatoes, 1740

glycosylation
effect on surface properties of soluble fraction of casein, 437
rotational diffusivity of solutes in caseinates: influence of, 724

goat
analysis of volatiles related to warmed over flavor of cooked chevron, 861
effect of breed, sex and tissues on concentrations of macrominerals in meat, 308

gonads
lipid changes in sea urchin during storage, 967

grain
baking properties of bread and cookies incorporating distillers' or brewer's from wheat or barley, 424
dietary fiber ingredients obtained by processing brewer's dried, 551
flavor characteristics of -fed beef as influenced by phospholipid and fatty acid composition, 312
headspace volatiles and sensory characteristics of ground beef from -fed heifers, 649

grape
composition of fermented juice continuously produced by immobilized Lactobacillus casei, 455

diazotization-coupling technique for analysis of methyl anthranilate in, 877
identification and reduction of ellagic acid in juice, 1607
microbiological and enological parameters during fermentation of musts from, 1603

grapefruit
evaluation of properties of polystyrene divinylbenzene adsorbents for debittering juice, 440
extraction of lycopene and carotene from pink, 1460
mineral extraction techniques of juice as analyzed by atomic emission spectrometry, 1359

grinder
growth of Listeria monocytogenes inoculated in waster fluids from clean-up of, 277

grits
pretreating dent corn for puffing in rice cake machine, 1345

gruel
influence of milling method and peanut extract on iron availability from maize and sorghum flour, 1657

guaiacol, 4-vinyl
formation in adversely stored orange juice measured by HPLC, 162

guava
physical chemical characteristics of juice, 1757

gum
dialyzable calcium from milk processed with soluble fiber-containing, 1004

H

hake
Merluccius hubbsi) biochemical and physicochemical properties of actomyosin from stored on ice, 688
effects of vacuum packaging, glazing and erythorbic acid on shelf life of, 64
irradiation effects on shelf life and gel forming properties of red mince, 1745
thermal denaturation of myofibrillar proteins, 683

ham
bioassay analysis of processed to affect Trichinella spiralis, 289
composition of processed under minimal aging time/temperature conditions, 285
determination of safrole and isosafrole in by HPLC with UV detection, 1194
effect of feeding monounsaturated fat to swine on acceptability of, 1485
quality of from pigs treated with porcine somatotropin, 929
study of white film developed on cut surface of vacuum-packed dry-cured slices, 1189

hamburger
physical-chemical properties and cooking yield of prepared from accelerated processed beef, 1268

hard-to-cook defect
reversibility in dry beans and cowpeas, 1474

harvest
date effects on quality of processed apple slices, 1046

headspace
concentration of volatile flavor components in peach, 1303
feasibility study on determination of fish freshness by trimethylamine analysis, 1228
method for analysis of volatiles of peanuts, 279
volatiles of ground beef from forage- and grain-fed heifers, 649

heat capacity
effect of moisture content on pork/soy hull mixtures, 1491

heat transfer
Leidenfrost phenomenon: investigation of vaporization of nitrogen droplets on food surface, 808
determination of during sterilization of carrot dices, 199
effect of retort pouch coefficients of different thermal processing stages and pouch material, 1421
estimating coefficients in liquid particulate canned foods using only liquid temperature data, 478
fininte-difference model for in products with internal heat generation and transpiration, 484
influence of fluid rheological properties and particle location on ultrasound-assisted between liquid and particle, 1112

heating
alteration of Talaromyces flavus resistance by growth conditions and medium composition, 830
antimutagenic effects of apple juices: interference with load measurements by microbiological methods, 1026
association of zinc with soy proteins as affected by, 263
correlation of protein sulfhydryls with strength of egg white gels, 1753
destruction of cysteine and cystine residues of soy protein under conditions of gelation, 1077
differences between bamboo shoots and vegetables in thermal disintegration of tissues and polysaccharides fractionated by successive extraction, 739
effect of high pressure during on shear force of beef muscles, 15
effect of institutional methods of cold and hot boned restructured beef roasts, 658
effect of rate on meat batter stability, texture and gelation, 334
effect of salts and pH on softening of snap beans, 1312
effect of salts and temperature on destruction of S aureus MF-31, 833
effect of NaCl and KCl on rancidity of dark turkey meat in microwave, 1549
effect of wheat flour on pancake springiness, 784
effect on bacon and sausage in nonwoven, melt-blown material, 298
effect on cheese whey, 1177
effect on chemical analysis of dietary fiber, 1647
effect on C. butyricum, 1725
effect on foaming of whey protein isolate, 1116
effect on rehydration rate and cooking of pinto beans, 1472
evaluation of damage to protein by coomassie blue G dye-binding, 805
evaluation of frying oils containing added fatty acids, 1417
freezing of banana slices: influence of prior to freezing, 1070
gelatinization and liquefaction of starch with stable alpha amylase, 1365
inactivation of catalase from cod muscle and from psychrophilic bacteria, 581
induced gelation of myofibrillar proteins and sausages: effect of blood plasma and globin, 1494
influence of skimmilk on water-holding capacity of sodium salts of caseinates and coprecipitates, 879
kinetic compensation effect in denaturation of whey protein, 589
kinetics of color changes in milk due to, 1766
numerical simulation of natural convection of canned thick viscous liquid food products, 1403
predictive model for lightness of comminuted lean pork during, 601
study on mutagenicity of milk, 1000
thermal conductivity of surimi-measurement and modeling, 1217
thermal denaturation of perimysial collagen in meat measured by polarized light microscopy, 305
thermal destruction of Listeria monocytogenes in meat slurry and ground beef, 327
thermal inactivation of C botulinum in oyster homogenates at minimal processing temperatures, 372
thermal transitions of salt-soluble proteins from pre- and postrigor chicken muscles, 1540

heme
electrolytic reduction of proteins: preparation of stable colorant for sausage, 1689

hemoglobin
nonheme iron evaluation of iron concentrate, 593
preparation of colorless globin from bovine using Na alginate, 577

hexanal
values of frozen cooked beef packaged in modified atmosphere, 26

hexane
fate of singrin in methanol/ammonia/water extraction of B juncea mustard seed, 793

histamine
during storage and spoilage of anchovie: relationship with other fish spoilage indicators, 1192
production on vacuum packaged tuna, 59

hoki (Macruronus novaezelandiae)
strength of gels prepared from minces of stored in ice, 976

holding
effect of time on functionality of cowpea paste and quality of akara, 558

holding tube
distributions of food particle suspensions in flow: distribution characteristics and fastest-particle velocities, 1703
velocity distributions of food particle suspensions in flow: experimental and modeling studies, 1448

homogenization
comparison of by blending or stomaching on recovery of Listeria monocytogenes from beef, 655
emulsifying effects of food macromolecules in presence of ethanol, 875

horse
myoglobin analysis for determination in cooked products, 1528

horseradish
effects of drying conditions on water sorption and phase transitions of freeze-dried, 206

hot
wire technique viscosity monitoring by, 854

humidity
auto-oxidation in saffron at 40xC and 75% relative, 595

hybridization
development of colorimetric nucleic acid method for detection of Salmonella in foods, 1394

hydration
behavior of potato starch as determined by 2H NMR, 458
characteristics of lung protein isolates, 19
studies of maltodextrins by proton, 2H and O-17 NMR, 462

hydrocolloid
enable fat reduction in process cheese spreads, 1290

hydrodynamics
lactose crystallization in skim milk powder observed by, 994

hydrogen peroxide
oxidation of tryptophan by in model systems, 1120

hydrolysate
amino acid from crab processing waste, 379
influence of enzymatic hydrolysis on structure and emulsifying properties of sardine protein, 1571
inhibition of lectin induced rabbit erythrocyte agglutination by of skeletal beef protein, 867

hydrolysis
influence on structure and emulsifying properties of sardine protein hydrolysates, 1571
of milk protein in membrane reactor, 381

hydrophobicity
influence on solubility and water absorbing capacity of soy protein isolates, 765
lipophilization of lactoglobulin: effect of, 711

hydroxypyridoxine, 6-
lack of vitamin B6 activity of, 1143

hypoallergenic
production of rice by enzymatic decomposition of constituent proteins, 781

hypoxanthine
nucleotide catabolism as freshness indicator in flatfish from gulf of Alaska, 1236

I

ice
biochemical and physicochemical properties of actomyosin from hake, 688
changes in biochemical and bacteriological quality of grass prawn during transportation by, 670
spoilage of albacore, 678
strength of gels prepared from minces of hoki stored in, 976

ice cream
edible methylcellulose-based films as moisture-impermeable barriers in cones, 1468
effect of stabilizers on textural and sensory characteristics of yogurt from sheep's milk, 703
replacement of carbon-refined with ion-exchanged corn syrups in, 827

image analysis
correlation of extrudate infusibility with bulk properties using, 1378

immunoaffinity
purification of milk catalase by chromatography, 1172

immunoassay
of hen egg lysozyme in foods, 103

inactivation
of catalase from cod muscle and from psychrophilic bacteria, 581
of Clostridium botulinum in oyster homogenates at minimal processing temperatures, 372

infant formula
production of ascorbate free radicals in, 1133

infiltration
application of browning inhibitors to cut apple and potato by vacuum and pressure, 1049

infrared
effect of heat processing on rehydration rate and cooking of pinto beans, 1472
sensory quality and energy use for molasses cookies baked in, 1095

infusibility
correlation of extrudate with bulk properties using image analysis, 1378

inhibitor
effect of cooking on trypsin in navy and red kidney beans, 470
of browning: application to cut apple and potato by vacuum and pressure infiltration, 1049

ion
effect of strength on dynamic viscoelastic behavior of myosin during thermal gelation, 51
proteolysis of casein by papain: influence of strength of on kinetics, 801; influence of strength of on reaction products, 796
purification of steviosides by exchange processes, 1454

iron
influence of milling method and peanut extract on availability from maize and sorghum flour gruels, 1657
nonheme evaluation of hemoglobin concentrate, 593
oxygen absorption properties of powdered, 869

irradiation
aflatoxin producing ability of spores of Aspergillus parasiticus exposed to gamma, 275
changes in microflora and characteristics of vacuum-packaged pork loins, 918
characterization of peanut kernels subjected to gamma and effect on aflatoxin production by A parasiticus, 210
effect of antioxidant and conditions on solubility of food proteins in aqueous solutions, 1127
effect of dose on induced formation of free radicals in freeze-dried actomyosin, 1462
effect of packaging material on nitrate nitrogen content of potatoes, 1183
effect on carotene content of mangos and red capsicums, 1185
effect on glycoalkaloids in potatoes, 1740
effect on microbial populations in dairy products, 1284
effect on onion keeping quality after sea shipment from Argentina to Netherlands, 1181
effect on shelf life and gel forming properties of red hake mince, 1745
lipid composition and flavor changes in mango, 1579
radiolytic degradation of sorbic acid in isolated systems, 1699
shelf-life enhancement of lamb under refrigeration by gamma, 865
with cobalt-60: sensory analysis of dairy products, 404

irritant
calcium oxalate crystals: factor in kiwifruit, 1066

isoelectric focusing
quantification of shrimp in shrimp-surimi mixtures using urea gel, 1206

isosafrole
determination in ham by HPLC with UV detection, 1194

isotherms
equation for starch, sucrose and salt for calculation of high system water activities, 265

J

juice
alginate texturization of acid fruit, 1759
apple: antimutagenic effects: interference with heat load measurement by microbiological methods, 1026; clarification using mineral membranes: fouling control by backwashing and pulsating flow, 1620; effect of sulfur dioxide and storage temperature on sensory properties, 728; low pH inactivation of polyphenoloxidase, 562; microfiltration and ultrafiltration for clarification, 1162; molecular characteristics of pectins from enzyme treated, 564
bilberry: coloring pigments in fresh and fermented, 164
grape: composition of fermented continuously produced by immobilized Lactobacillus casei, 455; identification and reduction of ellagic acid, 1607
grapefruit: evaluation of properties of polystyrene divinylbenzene adsorbents for debittering, 440
guava: physical chemical characteristics of, 1757
method for separation and quantitation of D-malic acid in fruit, 1614
orange: changes in during debittering, 273; diacetyl measurement using differential pulse polarography, 1164; formation of 4-vinyl guaiacol in adversely stored by HPLC, 162; partition distribution of aroma volatiles from, 158; viability of L plantarum under low pH and temperature conditions, 1023
pear: effect of variety, maturity, and processing on quality and protein stability, 1610
red raspberry: effect of processing and storage on anthocyanin pigment composition, color and appearance, 1011
relationship between freezing point depression and composition of fruit systems, 566

K

kamaboko
textural degradation of by addition of mushrooms, 979

kangaroo
myoglobin analysis for determination in cooked products, 1528

kefiran
preparation and viscometric properties, 1483

ketchup
test for evaluation of serum separation potential of tomato, 1626

kinetics
analysis of effect of processing factors on changes in color of comminuted meats during processing, 604
browning and amino acid loss in model total parenteral nutrition solutions, 821
compensation effect in heat denaturation of whey protein, 589

data for use in design and evaluation of high temperature food processing systems, 851
model of lipid oxidation in foods, 498
of lactose monohydrate in continuous cooling crystallizer, 816
of methylmethionine sulfonium salt destruction in model particulate system, 502
parameters for inactivation of Bacillus proteolysis of casein by papain: influence of ionic strength on, 801
stearothermophilus at high temperatures, 488
study on color changes in milk due to heat, 1766

kiwifruit
calcium oxalate crystals: irritant factor in, 1066

kudzu
moisture sorption characteristics of starch, 232

L

lactase
survival of under acidic conditions, 506

lactitol
cryoprotective effects of on cod surimi proteins during frozen storage, 356
Lactobacillus bulgaricus: effect of water activity of milk on growth and acid production by, 708
casei: composition of fermented grape juice continuously produced by immobilized, 455; esterolytic and lipolytic activities of, 119
effect of fermentation by on phytic acid and polyphenol content of pearl millet, 1180
effect of soymilk solids on acid production by, 1643
fermentation effects on preservative qualities of dendeng giling, 1523
influence on microflora and nitrogen components in cheddar cheese, 391
influence on physicochemical and sensory properties of cheddar cheese, 386
plantarum: in cucumber extracts containing salt, 1634; viability in orange juice under low pH and temperature conditions, 1023
quality of cheddar cheese containing added, 114

lactoglobulin
effects of succinylation on foaming properties, 1735
lipophilization of: effect of hydrophobicity, conformation and surface functional properties, 711; effect on allergenicity and digestibility, 718

lactose
crystallization in skim milk powder observed by hydrodynamic equilibria, SEM and NMR, 994
crystallization kinetics of monohydrate in continuous cooling crystallizer, 816
water mobility and crystallization action of systems by O-17 and C-13 NMR, 1435

lamb
effect of time of sampling postmortem on myofibril fragmentation index of, 254
Listeria in, 572
sensory and cooking properties of chops cooked with and without external fat and epimysium, 570
shelf-life enhancement of under refrigeration by gamma irradiation, 865

leanness
characteristics of beef carcasses selected for, 9

lectin
effects of cooking on in navy and red kidney beans, 470
inhibition of induced rabbit erythrocyte agglutination by hydrolysates of skeletal beef protein, 867

legumin
role of noncovalent forces in micellization using from Vicia faba, 1638

Leidenfrost
phenomenon: investigation of vaporization of nitrogen droplets on food surface, 808

lemon
characterization of materials for oil encapsulation by spray drying, 1356

lettuce
survival of Listeria monocytogenes as influence by shredding, chlorine treatment, modified atmosphere packaging and temperature, 755

light
effects on ethyl carbamate formation in wine during storage, 1166

limonene
interaction of cyclodextrin with enantiomers of, 1686
oxygen permeability of polyethylene as function of absorption: approach to modeling flavor scalping, 587

lipase
mediated synthesis of low molecular weight flavor esters, 1679

lipid
changes in sea urchin gonads during storage, 967
composition in irradiated mango, 1579
composition of lung protein isolates, 19
effect of dietary oil and tocopherol on membranal oxidation in chicken, 46
effect of edible collagen film overwrap on oxidation in beef, 1510
effect of pH on formation, composition and rehydration capacity of winged bean and soybean protein film, 261
extraction from dried egg yolk using supercritical carbon dioxide, 95
factors influencing catalysis of oxidation by soluble fraction of mackerel muscle, 947
kinetic model of oxidation in foods, 498
nonenzymic catalysts of oxidation in mackerel muscle, 951
oxidation and color stability in meat systems during frozen storage, 1513
oxidation in chicken muscles and skin after roasting and refrigerated storage, 30
oxidative stability of cholesterol-free egg fractions, 92
subcellular distribution and composition of in muscle and adipose tissue, 43

lipolysis
activities of Lactobacillus casei-subsp-casei LLG, 119
characterization of strains of S aureus by activity on agar media, 591

lipophilization
of lactoglobulin: effect of hydrophobicity, conformation and surface functional properties, 711; effect on allergenicity and digestibility, 718

liquefaction
of starch with heat stable alpha amylase, 1365

liquid
characterization of oyster shucking wastes and utilization as soup, 374
estimating heat transfer coefficients in particulate canned foods using only temperature data of, 478
numerical simulation of natural convection heating of canned thick viscous foods, 1403

Listeria
in retail meat roasts, 572
monocytogenes: comparison of homogenization by blending or stomaching on recovery of from beef, 655; effect of temperature and oxygen on, 1754; growth of inoculated in waste fluids from clean-up of a meat grinder, 277; survival on lettuce as influenced by shredding, chlorine treatment, modified atmosphere packaging and temperature, 755; thermal destruction of in meat slurry and ground beef, 327

loquat
volatile constituents of, 176

lung
lipid composition and hydration characteristics of protein isolates, 19

lychee
enzymatic and color changes during post-harvest storage of, 1762

lycopene
extraction from reconstituted tomato paste and pink grapefruit homogenates, 1460

lysine
quality and sensory acceptance of -fortified fish sauce, 983

lysozyme
sandwich enzyme immunoassay of hen egg in foods, 103

M

mackerel
effects of vacuum packaging, glazing and erythorbic acid on shelf life of, 64
factors influencing catalysis of lipid oxidation by soluble fraction of muscle, 947
nonenzymic catalysts of lipid oxidation in muscle, 951

macrominerals
effect of breed, sex and tissues on concentrations in goat meat, 308

macromolecules
emulsifying effects of food in presence of ethanol, 875

magnesium carbonate
effect on physical/structural properties of extrudates, 1383

magnetic resonance
for measurement of oil in french-style dressings, 763

Maillard reaction
pyrylium betaines as reactive intermediates in, 1124

maize
influence of milling method and peanut extract on iron availability from flour gruels, 1657

rheology of starch solutions under low acid aseptic processing conditions using tube viscometry, 1660

malondialdehyde
nitrite interactions in meat and model systems, 925

maltodextrin
hydration studies of by proton, 2H and O-17 NMR, 462

mango
effect of irradiation on carotene content of, 1185
lipid composition and flavor changes in irradiated, 1579

marjoram
drying, packaging and storage effects on quality of, 1373

mass transfer
finite-difference model for in products with internal heat generation and transpiration, 484

massaging
low-fat, high-added water bologna: effects on physical and sensory characteristics, 338

mathematics
determination of connective tissue in beef using simultaneous equations based on amino acid analysis, 1506
isotherm equation for starch, sucrose and salt for calculation of high system water activities, 265
kinetic analysis of effect of processing factors on changes in color of comminuted meats during processing, 604
model for lightness of comminuted porcine lean meat during heating, 601
modelling water absorption in soybean, cowpea and peanuts at three temperatures using Peleg's equation, 1084
numerical simulation of natural convection heating of canned thick viscous liquid food products, 1403

maturation
variability in quantities of tannin and phenols in peach during, 1585

maturity
delayed light emission as indicator of peach, 1581
effect on pear juice quality and protein stability, 1610
freezing of banana slices: influence of prior to freezing, 1070

meat
confocal scanning optical microscopy of, 1751
physical parameters involved in addition of inorganic phosphates to emulsions, 23
red: determination of pigments in, 250

mechanical separation
effects with chloride salts in beef steaks, 342

mechanics
properties of soybean proteins related to characteristics of gels, 133

media
approach to control growth of S cerevisiae in, 837

membrane
apple juice clarification using mineral: fouling control by backwashing and pulsating flow, 1620
continuous hydrolysis of milk protein in reactor, 381
effect of dietary oil and tocopherol on lipid oxidation in chicken, 46
polymers decrease cleaning time of ultrafiltration fouled with pectin, 873
polysaccharide effects on cross flow microfiltration of wine with microporous alumina, 1598
production of canola protein materials by processing, 1147
purification of steviosides by processes, 1454
separation of 1-octen-3-ol from aqueous solutions by pervaporation through silicon, 1399

menhaden
efficiency of removing volatiles from oil by refining, bleaching and deodorization, 1669

methanol
fate of singrin in ammonia/water-hexane extraction of B juncea mustard seed, 793

methods/methodology
antimutagenic effects of apple juices: interference with heat load measurement by microbiological, 1026
antioxidative effect of ascorbic acid solubilized in oils via reversed micelles, 247
apple juice clarification using mineral membranes: fouling control by backwashing and pulsating flow, 1620
application of an acid urease to wine: determination of trace urea in wine, 1018
application of ellipsometry to evaluate surface cleaning effectiveness, 1749
bound water associated with 7S and 11S soy proteins determined by vapor sorption isotherms and pulsed NMR, 130
carboxymethyl kefiran: preparation and viscometric properties, 1483
characterization of pink color in cooked turkey breast and pork loin, 1249
cold stage SEM study of meat batters, 1196
coloring pigments in fresh and fermented bilberry juices, 164
comparison of for analysis of dietary fiber in winged bean seeds, 137
comparison of purification procedures for conglycinin and effect of toasting, 283
composition of apricot aroma: correlations between sensory and instrumental data, 735
confocal scanning optical microscopy of meat products, 1751
continuous hydrolysis of milk protein in membrane reactor, 381
control of scald on pears by ethoxyquin: effect of application, 167
correlation between two variables each containing random error: application to data on texture and muscle pH, 1479
correlation of extrudate infusibility with bulk properties using image analysis, 1378
delayed light emission as indicator of peach maturity, 1581
detection of chemiluminescence produced during beer oxidation, 881
detection of pork in processed meat by ELISA using antiswine antisera, 293
determination by HPLC of fat-soluble vitamins in albacore, 77
determination of amino acids in cheese by flow injection analysis with enzymic reactor and chemiluminescence detector, 1555
determination of connective tissue in beef using equation based on amino acid analysis, 1506
determination of pigments in red meats, 250
determination of rheological behavior of tomato concentrates using back extrusion, 554
determination of safrole and isosafrole in ham by HPLC with UV detection, 1194
determining viscosity of fluid foods by continuous lift, 1170
development of colorimetric, second generation nucleic acid hybridization for detection of Salmonella in foods, 1394
development of test to predict gelation properties of raw turkey muscle proteins, 932
development of wash and cook-proof for vitamin enrichment of rice, 1102
diacetyl measurement in orange juice using differential pulse polarography, 1164
diazotization-coupling technique for analysis of methyl anthranilate in grape products, 877
differential scanning calorimetry of mung bean starch, 771
effect of biot number and freezing rate on accuracy of food freezing time prediction, 1429
effect of institutional heating of cold and hot boned restructured beef roasts, 658
efficiency of removing volatiles from menhaden oils by refining, bleaching, and deodorization, 1669
electrolytic reduction of heme proteins: attempt to prepare stable natural colorant for sausage, 1689
estimating heat transfer coefficients in liquid particulate canned foods using only liquid temperature data, 478
evaluation of beer deterioration by chemiluminescence, 1361
evaluation of emulsion stability by centrifugation with conductivity measurements, 1666
evaluation of heat-damage to protein by coomassie blue G dye-binding, 805
evaluation of warmed-over flavor during chill storage of chicken by chemical, instrumental and sensory, 644
extraction and HPLC enrichment of polyphenol oxidase from Theobroma cacao, 1108
extraction of lycopene and carotene from reconstituted tomato paste and pink grapefruit homogenates, 1460
feasibility study on determination of fish freshness by trimethylamine headspace analysis, 1228
for analysis of headspace volatiles of peanuts, 279
for determining extract release volume of fresh and spoiled beef and poultry meats, 1475
for following rigor development in fish, 346
for separation and quantitation of D-malic acid in fruit juice, 1614
formation of 4-vinyl guaiacol in adversely stored orange juice measured by HPLC, 162
fractionation of extracts and crystalline and non-crystalline proteins from white kidney beans by ion-exchange HPLC, 777
free amino acids in cheddar cheese: comparison of, 1552
freshness assessment of New England fish species using the torrymeter, 79
GC determination of water content in cheese, 1175
hydration behavior of potato starch as determined by deuterium NMR, 458
hydration studies of maltodextrins by proton, 2H and O-17 NMR, 462
identification of dry salami volatiles, 1239
influence of milling on iron availability from maize and sorghum flour gruels, 1657
isotherm equation for starch, sucrose and salt for calculation of high system water activities, 265
kinetic data for use in design and evaluation of high temperature food processing sstems, 851
lactose crystallization in skim milk powder observed by hydrodynamic equilibria, SEM and NMR, 994
microfiltration and ultrafiltration comparison for apple juice clarification, 1162
mineral extraction techniques of citrus juices as analyzed by inductively coupled plasma atomic emission spectrometry, 1359
mobility and activity of water in casein model systems as determined by 2H NMR and sorption isotherms, 430
modelling water absorption in soybean, cowpea and peanuts at three temperatures using peleg's equation, 1084
multiple comparisons for ranked data, 1168
myoglobin analysis for determination of beef, pork, horse, sheep and kangaroo meat in cooked products, 1528
odorants in cucumbers and muskmelons by aroma extract dilution analysis, 193

of estimation of effective moisture diffusivity from drying data, 218
oxygen permeability of low density polyethylene as function of limonene absorption:an approach to modeling flavor scalping, 587
plant sterols in soybean hulls, 271
polysaccharide effects on cross flow microfiltration of wine with microporous alumina membrane, 1598
potable alcohol production by immobilized Zymomonas mobilis on gamma-alumina pellets, 525
predicting water activity in solutions of mixed solutes, 494
prediction of flavor retention during spray drying, 1683
prediction of levels of cholet:serol oxides in heated tallow by dielectric measurement, 1673
preparation of colorless globin from bovine hemoglobin using Na alginate, 577
pretreating dent corn grits for puffing in rice cake machine, 1345
procedure for measuring foaming properties of proteins, 1441
production of canola protein materials by alkaline extraction, precipitation, and membrane processing, 1147
production of hypoallergenic rice by enzymatic decomposition of constituent proteins, 781
purification of milk catalase by immunoaffinity chromatography, 1172
purification of steviosides by membrane and ion exchange processes, 1454
quality improvement and evaluation of hypoallergenic rice grains, 1105
quantification of geosmin in rangia clam, 1233
quantification of shrimp in shrimp-surimi mixtures using urea gel isoelectric focusing, 1206
recovery of proteins from sweet whey using solid state sulfitolysis, 1559
rheology of waxy maize starch solutions under low acid aseptic processing conditions using tube viscometry, 1660
sandwich enzyme immunoassay of hen egg lysozyme in foods, 103
separation of 1-octen-3-ol from aqueous solutions by pervaporation through silicon membrane, 1399
significance of copper in alcohol production with fermentation of raisin extracts by cell recycle process, 1588
styrene monomer migration as monitored by purge and trap GC and sensory analysis for polystyrene containers, 522
test for evaluation of serum separation potential of tomato ketchup, 1626
thermal denaturation and aggregation of proteins in minced fish as studied by thermomechanics, 1477
thermal denaturation of perimysial collagen in meat measured by polarised light microscopy, 305
thiamin retention and characteristics of cooked beef loin roasts, 863
time-intensity evaluation of sweetness and fruitiness and interaction in model solution, 450
to determine destruction of bacterial spores during extrusion cooking, 1388
to determine initial freezing point of foods, 1711
to differentiate between fresh and frozen-thawed fish, 74
tocopherols in chicken determined by reverse phase liquid chromatography, 1536
twin-screw extrusion modification of corn fiber and corn starch extruded blend, 746
use of flow cell to determine emulsifying properties of casein, 1152
use of magnetic resonance procedures for measurement of oil in French-style dressings, 763
velocity distributions of food particle suspensions in holding
tube flow: experimental and modeling studies on average particle velocities, 1448
viscosity monitoring by hot wire technique, 854
water mobility and crystallization action of lactose-water systems by oxygen-17 and carbon-13 NMR, 1435
water mobility in starch/sucrose systems: O-17 NMR study, 1732
water sorption of coffee solubles by frontal inverse GC:
thermodynamic considerations, 475

methylcellulose
edible -based films as moisture-impermeable barriers in sundae ice cream cones, 1468
potassium sorbate permeability of coatings: effect of fatty acids, 841

methylmethionine sulfonium
kinetics of salt destruction in model particulate system, 502

metmyoglobin
influence of reducing capacity on color stability of beef, 1278

micelles
antioxidative effect of ascorbic acid solubilized in oils via, 247
role of noncovalent forces in using legumin from Vicia faba, 1638

microbiology
acid-blanching and EDTA effects on stability of canned mushrooms, 1327
aflatoxin producing ability of spores of Aspergillus parasiticus exposed to gamma radiation, 275
alteration of Talaromyces flavus heat resistance by growth conditions and heating medium composition, 830
amylo-oligosaccharide formation from B stearothermophilus alpha-amylase action on starches, 560
antibiotic residues and drug resistant bacteria in beef and chicken tissues, 632
antimutagenic effects of apple juices: interference with heat load measurements by, 1026
approach to control growth of S cerevisiae in lab media, 837
bacterial growth and histamine production on vacuum packaged tuna, 59
bicarbonates for microbial control in cod, 1564
changes in biochemical and bacteriological quality of grass prawn during transportation by icing and oxygenating, 670
changes in flora of vacuum-packaged pork loins irradiated at 3 kGy, 918
changes in numbers and kinds of lactic acid bacteria during ripening of Kefalotyri cheese, 111
characterization of peanut kernels subjected to gamma irradiation and effect on aflatoxin production by A parasiticus, 210
characterization of strains of S. aureus by lipolytic activity on agar media, 591
colonization of beef muscle surfaces by Pseudomonas fluorescens and Pseudomonas fragi, 898
comparison of homogenization by blending or stomaching on recovery of Listeria monocytogenes from beef tissues, 655
composition of fermented grape juice continuously produced by immobilized Lactobacillus casei, 455
continuous potable alcohol production by immobilized Zymomonas mobilis on gamma-alumina pellets, 525
control of spoilage of canned mushrooms inoculated with C sporogenes by acid-blanching and EDTA, 1331
development of colorimetric, second generation nucleic acid hybridization method for detection of Salmonella in food and comparison with conventional culture procedure, 1394
during fermentation of musts from grape harvests, 1603
effect of gamma irradiation at -78C on microbial populations in dairy products, 1284
effect of germination and fermentation by yeasts and lactobacilli on phytic acid and polyphenol content of pearl millet, 1180
effect of germination and fermentation on in vitro starch and protein digestibility of pearl millet, 863
effect of heat and pH on C butyricum, 1725
effect of salts and temperature on thermal destruction of S aureus MF-31, 833
effect of soymilk solids on acid production by lactobacilli, 1643
effect of temperature and oxygen on listeria monocytogenes at pH 4.5, 1754
effect of vacuum caoncentration on survival and behavior of S. aureus 234, 269
effect of water activity of milk on growth and acid production by S. thermophilus and L. bulgaricus, 708
esterolytic and lipolytic activities of Lactobacillus casei-subsp-casei LLG, 119
growth of Listeria monocytogenes inoculated in waste fluids from clean-up of meat grinder, 277
heat inactivation of catalase from cod muscle and from psychrophilic bacteria, 581
in beef treated with K sorbate, phosphate, NaCl and Na acetate, 323
influence of lactobacilli on microflora and nitrogen components in cheddar cheese, 391
influence of lactobacilli on physicochemical and sensory properties of cheddar cheese, 386
influence of microflora on chemical properties of cowpea paste, 141
inhibition of C botulinum 33A, 40B, and 1623E by essential oil of spices, 1676
kinetic parameters for inactivation of Bacillus stearothermophilus at high temperatuers, 488
lactic fermentation effects on preservative qualities of dendeng giling, 1523
Lactobacillus plantarum and enterobacter cloacae growth in cucumber extracts containing salts, 1634
Listeria in retail meat roasts, 572
mechanism of acid-blanch and EDTA process inhibition of C sporogenes, 1137
methodology to determine destruction of bacterial spores during extrusion cooking, 1388
properties of cowpea paste as influenced by microflora, 146
quality of cheddar cheese containing added lactobcilli, 114
reducing populations on beef tissues: concentration and temperature of acid mixture, 903
rennet effects and partitioning of bacterial cultures during quarg cheese manufacture, 398
shelf-life enhancement of lamb under refrigeration by gamma irradiation, 865
shelf-life of shrimp stored at different temperatures, 1201
survival of Listeria monocytogenes on lettuce as influenced by shredding, chlorine treatment, atmosphere packaging and temperature, 755
survival of lactic acid bacteria and lactases under acidic conditions, 506
survival of lactic acid bacteria during spray drying of yogurt, 1008
thermal destruction of Listeria monocytogenes in meat slurry and ground beef, 327
thermal inactivation of Clostridium botulinum type E spores in oyster homogenates at minimal processing temperatures, 372
viability of Lactobacillus plantarum in orange juice under low pH and temperature conditions, 1023

microfiltration
for apple juice clarification, 1162
polysaccharide effects on cross flow of wine with microporous alumina membrane, 1598

microscopy
confocal scanning optical of meat products, 1751
scanning electron: cold stage study of meat batters, 1196; lactose crystallization in skim milk powder observed by, 994
thermal denaturation of perimysial collagen in meat measured by polarized light, 305

microstructure
effect of pre-decortication drying treatment on cowpea products, 774

microwave
effect of heating bacon and sausage in nonwoven, melt-blown material, 298
effect of NaCl and KCl on rancidity of dark turkey meat heated in, 1549
energy effects on quality of seed oils, 1412
physical properties as indicators of popping characteristics of popcorn, 1352
sensory and chemical characteristics of reheated pork roasts, 618

migration
of styrene monomers as monitored by purge and trap GC and sensory analysis for polystyrene containers, 522

milk
acceptability and nutrient content of substitutes from cowpeas, 701
comparison of -based and soymilk-based yogurt, 532
continuous hydrolysis of protein in membrane reactor, 381
dialyzable calcium from processed with soluble fiber-containing gums, thickeners and cocoa, 1004
effect of fermentation and storage on concentration of orotic and uric acid in skim, 585
effect of manufacturing conditions on rheology of banana gelified: optimization of technology, 1630
effect of processing conditions and antioxidants on oxidative stability and carbon dioxide formation in low fat dry, 401
effect of stabilizers on textural and sensory characteristics of yogurt ice cream from sheep's, 703
effect of water activity on growth and acid production by S. thermophilus and L. bulgaricus, 708
influence of pre-heating skim on water-holding capacity of Na salts of caseinates and coprecipitates, 879
kinetics of color changes in due to heat, 1766
lactose crystallization in skim powder observed by-hydrodynamic equilibria, SEM and NMR, 994
purification of catalase by immunoaffinity chromatography, 1172
study on mutagenicity of heated, 1000 millet effect of germination and fermentation by yeasts and lactobacilli on phytic acid and polyphenol content of pearl, 1180
effect of germination and fermentation on starch and protein digestibility of pearl, 883

milling
influence of method on iron availability from maize and sorghum flour gruel, 1657

mince
effects of rigor mortis on gel-forming properties of prepared from Tilapia, 351

mineral
apple juice clarification using membranes: fouling control by backwashing and pulsating flow, 1620
concentration modifications during pea canning, 751
extraction techniques of citrus juices as analyzed by atomic emission spectrometry, 1359

mixing
time effects on textural characteristics of restructured catfish, 1747

mobility
of water in casein model systems as determined by 2H NMR and sorption isotherms, 430
of water in lactose-water systems by O-17 and C-13 NMR, 1435
of water in starch/sucrose systems: O-17 NMR study, 1732
of water in sweetened concentrated desludged soy beverages and rheological properties, 537

models/modeling
browning and amino acid loss in total parenteral nutrition solutions, 821
characteristics of bovine plasma gels as affected by pH, NaCl, and STP, 252
degradation products of 2-tert-butylhydroquinone at frying temperature, 847
extraction of mutagens from chlorinated poultry chiller water, 635
finite-difference for heat and mass transfer in products with internal heat generation and transpiration, 484
for lightness of comminuted porcine lean meat during heating, 601
for moisture sorption isotherms at very high water activities, 759
for quantitating energy and degree of starch gelatinization based on water, sugar and salt contents, 543 heating milk: study on mutagenicity, 1000
kinetics of lipid oxidation in foods, 498
kinetics of methylmethionine sulfonium destruction in particulate systems, 502
malondialdehyde-nitrite interactions in systems, 925
meat by-product protein composition and functional properties in systems, 640
mobility and activity of water in casein systems as determined by 2H NMR and sorption isotherms, 430
nonenzymatic nonoxidative browning in hydrolyzed shelf-stable concentrated cheese whey, 697
numerical simulation of natural convection heating of canned thick viscous liquid food products, 1403
of corn starch doughs at low to intermediate moisture, 417
oxidation of tryptophan by hydrogen peroxide in systems, 1120
oxygen permeability of polyethylene as function of limonene absorption: approach to flavor scalping, 587
polymers decrease cleaning time of ultrafiltration membrane fouled with pectin, 873
relationship between freezing point depression and solute composition of fruit juice systems, 566
role of noncovalent forces in micellization using legumin from Vicia faba as study system, 1638
simulation of vacuum infusion process using idealized components: effects of pore size and suspension concentration, 989
thermal conductivity of surimi, 1217
time-intensity evaluation of sweetness and fruitiness and interaction in solution, 450
twin-screw extrusion modification of corn fiber and starch blend, 746
velocity distributions of food particle suspensions in holding tube flow, 1448
viscoelastic properties of whey protein gels, 516
water absorption in soybean, cowpea and peanuts at three temperatures using Peleg's equation, 1084

modori
inhibition of in surimi by plasma hydrolysate and egg white, 665

moisture
edible methylcellulose-based films as impermeable barriers in sundae ice cream cones, 1468
effect on density, heat capacity and conductivity of pork/soy hull mixtures, 1491
method of estimation of effective diffusivity from drying data, 218
rheological modeling of corn starch doughs at low to intermediate, 417
sorption characteristics of ground sunflower nutmeat, 786
sorption characteristics of kudzu starch and sweet potato starch, 232
sorption isotherms of dried apricot, fig and raisin, 1591

molasses
sensory quality and energy use for cookies with bleached and unbleached flour and baked in infrared, forced air convection, and conventional deck ovens, 1095

molina (Aulacomya ater ater)
biochemical properties of actomyosin of cold stored adductor muscles of, 1567

monounsaturates
acceptability of bacon as influenced by feeding fat to swine, 621
effect of feeding to growing-finishing swine on acceptability of ham, 1485
effect of feeding to swine on acceptability of low-fat sausage, 1497

MSB
effects with chloride salts in beef steaks, 342

muscle
acceleration of physicochemical change in carp by washing in chilled or heated water, 674
biochemical properties of cold stored adductor of molina, 1567
colonization of beef surfaces by P fluorescens and P fragi, 898
control of softening in arrowtooth flounder, 579
correlation between two variables each containing random error: application to data on pH, 1479
development of test to predict properties of raw turkey proteins, 932
effect of algin/calcium and adipic acid concentration on juncture formation, 906
effect of animal age on tenderness of beef, 1
effect of high pressure during heat treatment on shear force values of beef, 15
effect of lactic acid on epimysial connective tissues of used for restructured beef steaks, 859
factors influencing catalysis of lipid oxidation by soluble fraction of mackerel, 947
heat inactivation of catalase from cod and form psychrophilic bacteria, 581
heat-induced gelation of myofibrillar proteins and sausages: effect of blood plasma and globin, 1494
influence of aerobic metmyoglobin reducing capacity on color stability of beef, 1278
lipid oxidation in chicken after roasting and refrigerated storage, 30
myoglobin analysis for determination of beef, pork, horse, sheep, and kangaroo meat in blended cooked products, 1528
nonenzymic catalysts of lipid oxidation in mackerel, 951
protein quality of foods as affected by exchange of dietary wheat bran for cellulose, 885
role of fibers in firmness of cooked fish, 693
subcellular distribution and composition of lipid in, 43
thermal transitions of salt-soluble proteins from chicken, 1540
tocopherols in chicken determined by reverse phase liquid chromatography, 1536

mushroom
acid-blanching and EDTA effects on yield, quality and microbiological stability of canned, 1327
control of spoilage of canned inoculated with C sporogenes by acid-blanching and EDTA, 1331
judas' ear: textural degradation of kamaboko by addition of, 979

muskmelon
odorants in by aroma extract dilution analysis, 193

mustard
fate of singrin in methanol/ammonia/water-hexane extraction of B juncea seed, 793

mutagenicity
of reaction products of chlorine or chlorine dioxide with tryptophan, 1714
study of heated milk, 1000

mutagens
extraction of from chlorinated poultry chiller water, 635

myofibril
degradation of oval-filefish meat gel caused by proteinases, 364
fragmentation index: effect of time of sampling postmortem on of meat, 254
heat-induced gelation of proteins and sausages: effect of blood plasma and globin, 1494
thermal denaturation of hake proteins, 683

myoglobin
analysis for determination of beef, pork, horse, sheep, and kangaroo meat in cooked products, 1528

myosin
effect of ionic strength on dynamic viscoelastic behavior of during thermal gelation, 51
thermal gelation characteristics of subfragments, 55

N

nitrate
effect of packaging material on nitrogen content of irradiated potatoes, 1183

nitrite
malondialdehyde interactions in meat and model systems, 925

nitrogen
Leidenfrost phenomenon: investigation of vaporization of droplets on food surface, 808
effect of packaging material on nitrate content of irradiated potatoes, 1183
influence of lactobacilli on components in cheddar cheese, 391

nuclear magnetic resonance
bound water associated with 7S and 11S soy protein determined by, 130
lactose crystallization in skim milk powder observed by, 994
water mobility and crystallization action of lactose-water systems by O-17 and C-13, 1435
water mobility in starch/sucrose systems: O-17 study, 1732

nucleotide
catabolism as freshness indicator in flatfish from gulf of Alaska, 1236

nut
moisture sorption characteristics of ground sunflower, 786
nutrients in farm-raised channel catfish, 954

nutrition
formulation of corn-based snacks with high value:biological and sensory evaluation, 228
of milk substitutes from cowpeas, 701
total parenteral: browning and amino acid loss in model solutions, 821

O

oat
rheological and structural properties of egg white/globulin co-gels, 99

octen-3-ol, 1-
separation from aqueous solutions by pervaporation through silicon membran, 1399

odorants
in cucumbers and muskmelons by aroma extract dilution analysis, 193

oil
antioxidative effect of ascorbic acid solubilized in, 247
characterization of materials for lemon encapsulation by spray drying, 1356
controlled atmosphere storage of oranges to enhance essence, 1617
effect of alpha, gamma, and delta tocopherols on oxidative stability of soybean, 1464
effect of supplementation on membranal lipid oxidation in chicken, 46
efficiency of removing volatiles from menhaden by refining, bleaching and deodorization, 1669
evaluation of heated frying containing added fatty acids, 1417
finfish species as potential source, 1743
inhibition of C botulinum 33A, 40B and 1623E by spice, 1676
low-fat frankfurters with elevated levels of water and oleic acid in sunflower, 871
microwave energy effects on quality of seed, 1412
salad: synthesis of sucrose polyesters:comparison of properties to, 236
use of magnetic resonance procedures for measurement of in french-style dressings, 763

oligosaccharide
formation from B stearothermophilus alpha-amylase action on starches, 560

olive, green
UF of brines: influence of operating parameters and effect of polyphenol composition, 214

onion
irradiation effect on keeping quality after sea shipment from Argentina to Netherlands, 1181

optimization
effect of manufacturing conditions on rheology of banana gelified milk, 1630

orange
changes in juice during debittering, 273
controlled atmosphere storage of to enhance essence and oil, 1617
diacetyl measurement in juice using differential pulse polarography, 1164
formation of 4-vinyl guaiacol in adversely stored juice measured by HPLC, 162
mineral extraction techniques of juice as analyzed by atomic emissiong spectrometry, 1359
partition distribution of aroma volatiles from juice into polymeric sealant films, 158
relationship between freezing point depression and solute composition of fruit juice systems, 566
viability of L plantarum in juice under low pH and temperature conditions, 1023

oval-filefish
degradation of meat gel caused by myofibrillar proteinases, 364

oven
sensory quality and energy use for molasses cookies baked in infrared, forced air convection and conventional deck, 1095

overwrap
effect of edible collagen film on exudation and lipid oxidation in beef, 1510

oxidation
control of scald on pears by ethoxyquin: farnesene and its inhibition, 171
detection of chemiluminescence produced during beer, 881
effect of alpha, gamma, and delta tocopherols on stability of soybean oil, 1464
effect of dietary oil and tocopherol on membranal lipids in chicken, 46
effect of edible collagen film overwrap on lipid in beef, 1510
effect of processing conditions and antioxidants on stability of low fat dry milk, 401
factors influencing catalysis of lipid by soluble fraction of mackerel muscle, 947
in chicken after roasting and refrigerated storage, 30
in saffron at 40xC and 75% humidity, 595
kinetic model of lipid in foods, 498
nonenzymic catalysts of lipid in mackerel muscle, 951
of lipid in meat systems during frozen storage, 1513
of tryptophan by hydrogen peroxide in model systems, 1120
stability of cholesterol-free egg lipid fractions, 92

oxide
prediction of cholesterol in heated tallow by dielectric measurement, 1673

oxygen
absorption properties of powdered iron, 869
effect on listeria monocytogenes at pH 4.5, 1754
permeability of low density polyethylene as function of limonene absorption: approach to modeling flavor scalping, 587
17: water mobility and crystallization action of lactose-water systems by NMR, 1435; water mobility in starch/sucrose systems: NMR study, 1732

oxygenating
changes in biochemical and bacteriological quality of grass prawn during transportation by, 670

oyster
characterization of shucking liquid waste and utilization as soup, 374
thermal inactivation of C botulinum in homogenates at minimal processing temperatures, 372

P

packaging
bacterial growth and histamine production on tuna, 59
changes in microflora and characteristics of pork loins irradiated at 3 kGy, 918
effect of material on nitrate nitrogen content of irradiated potatoes, 1183
effect on processing and eating quality attributes of beef, 1270
effect on quality of basil, marjoram and wild marjoram, 1373
effect on shelf life of hake and mackerel, 64
flavor, texture, color, and hexanal and TBA values of frozen cooked beef, 26
microbiological and physicochemical changes in beef treated with K sorbate, phosphate, NaCl and Na acetate, 323
of fresh ready-to-use grated carrots in polymeric films, 1033
study of white film developed on cut surface of dry-cured ham slices, 1189

survival of Listeria monocytogenes on lettuce as influenced by, 755
packing effect on product quality of capers, 196
palatability of bacon from pigs fed canola, 575
of chilled and frozen beef steaks, 301

palatinit
cryoprotective effects of on cod surimi proteins during frozen storage, 356

pancake
effect of heat-treatment of wheat flour on springiness, 784

papain
proteolysis of casein by: influence of ionic strength on kinetics, 801
proteolysis of casein by: influence of ionic strength on reaction products, 796
tetrathionate protects proteolytic activity of papaya latex and, 1728

papaya
tetrathionate protects proteolytic activity of, 1728

parasites
bioassay analysis of dry-cured ham processed to affect Trichinella spiralis, 289
protease interactions in arrowtooth flounder, 579

particle
influence of location on ultrasound-assisted heat transfer between liquid and, 1112

partition
distribution of aroma volatiles from orange juice into polymeric sealant films, 158

pasta
effect of surimi addition to on ultra-structure and cooked firmness, 1481
high-temperature short-time: effect of formulation on extrudate properties, 1651

paste
effect of holding time on functionality of cowpea and quality of akara, 558

pea
mineral concentration modifications during canning, 751

peach
comparison of quality characteristics of yellow and white fleshed, 1308
delayed light emission as indicator of maturity, 1581
dynamic headspace concentration and GC of volatile flavor components in, 1303
variability in quantities of tannin and phenols in during maturation, 1585

peanut
characterization of kernels subjected to gamma irradiation and effect on aflatoxin production by A parasiticus, 210
effect of temperature, time and number of water extractions on physicochemical and flavor characteristics of, 790
influence of extract on iron availability from maize and sorghum flour gruel, 1657
method for analysis of headspace volatiles of, 279
modelling water absorption in at three temperatures using Peleg's equation, 1084

pear
control of scald by ethoxyquin: effect of concentration, time, method of application, and storage, 167
control of scald on by ethoxyquin: oxidation of farnesene, 171
effects of variety, maturity, and processing of juice quality and protein stability, 1610

pectin
molecular characteristics of from enzyme-treated apple juice, 564
polymers decrease cleaning time of ultrafiltration membrane fouled with, 873

peeling
diffusion during of tomatoes, 552

Peleg's equation
modelling water absorption in soybean, cowpea and peanuts at 3 different temperatures using, 1084

pellets
potable alcohol production by Zymomonas mobilis on gamma-alumina, 525

peppers, cherry
acidification of brined, 186

peptide
whey fractions obtained with two-step UF process, 106

perimysium
thermal denaturation of collagen in meat measured by polarized light microscopy, 305

permeability
of low density polyethylene as function of limonene absorption: approach to modeling flavor scalping, 587
of methylcellulose and hydroxypropyl methylcellulose coatings: effect of fatty acids, 841

peroxidase
effect of antioxidants on activity in vegetable extracts, 184

pervaporation
separation of 1-octen-3-ol from aqueous solutions by through silicon membrane, 1399

pH
association of zinc with soy proteins as affected by, 263
characteristics of bovine plasma gels as affected by, 252
correlation between two variables each containing random error: application to data on muscle, 1479
effect of antioxidant and conditions on solubility of irradiated food proteins in aqueous solutions, 1127
effect of temperature and oxygen on listeria monocytogenes at 4.5, 1754
effect on C. butyricum, 1725
effect on foaming of whey protein isolate, 1116
effect on formation, composition and rehydration capacity of winged bean and soybean protein-lipid film, 261
effect on heating-related softening of snap beans, 1312
low inactivation of polyphenoloxidase in apple juice, 562
production of ascorbate free radicals in infant formulas, 1133
viability of L plantarum in orange juice under low, 1023

phase transition
effects of drying conditions on freeze-dried horseradish, 206

phenol
variability in quantities in peach during maturation, 1585

phosphate
inorganic: physical parameters involved in addition of to reducted Na meat emulsions, 23
microbiological and physicochemical changes in beef treated with, 323

phospholipid
flavor characteristics of forage- and grain-fed beef as influenced by differences in, 312
role of on TBA reactive substances formation in chicken meat, skin and swine aorta, 1243

phytate
interaction with calcium and zinc in protein, 1720

pigment
determination in red meats, 250
in fresh and fermented bilberry juices, 164
influence of sugar on anthocyanin stability in frozen strawberries, 1064
red raspberry juice and wine: effect of processing and storage on anthocyanin composition, color and appearance, 1011

plant
sterols in soybean hulls, 271

plasma
characteristics of bovine gels as affected by pH, NaCl, and STP, 252
heat-induced gelation of myofibrillar proteins and sausages: effect of, 1494
inhibition of modori in surimi by hydrolysate, 665

polarography
diacetyl measurement in orange juice using differential pulse, 1164

pollock
ATP catabolites as flavor compounds and freshness indicators in, 257

polydextrose
cryoprotective effects of on cod surimi proteins during frozen storage, 356

polyester
synthesis of sucrose:comparison of properties to raffinose and salad oils, 236

polyethylene
oxygen permeability of as function of limonene absorption: approach to modeling flavor scalping, 587

polymer
decrease cleaning time of ultrafiltration membrane fouled with pectin, 873
modified atmosphere packaging of fresh ready-to-use grated carrots in films, 1033

polyphenol
effect of germination and fermentation by yeasts and lactobacilli on content of pearl millet, 1180
in apples and ciders: correlation with chhlorogenic acid, 1458
oxidase: extraction and HPLC enrichment of from Theobroma cacao, 1108
ultrafiltration of green table olive brines: effect on, 214

polyphenoloxidase
associated with black ring defect in canned beet, 1042
extraction and characterization of strawberry, 1320
low pH inactivation of in apple juice, 562
purification and characterization of strawberry, 1315
strawberry: role in anthocyanin degradation, 731

polysaccharide
differences between bamboo shoots and vegetables in thermal disintegration, 739
effects on cross flow microfiltration of wine with microporous alumina membrane, 1598

polystyrene
evaluation of properties of divinylbenzene adsorbents for debittering grapefruit juice, 440
styrene monomer migration as monitored by purge and trap GC and sensory analysis for containers, 522

popcorn
identification and quantification of -like aroma in LA aromatic della rice, 1466
physical properties as indicators of popping characteristics of microwave, 1352

popping
physical properties as indicators of characteristics of microwave popcorn, 1352

pore
simulation of vacuum infusion process using idealized components: effects of size, 989

pork
changes in microflora and characteristics of vacuum-packaged loins irradiated at 3 kGy, 918
characterization of pink color in cooked loin, 1249
cholesterol content of -soy hull mixture, 1488
detection in processed meat by ELISA using antiswine antisera, 293
effect of calcium carbonate and Na alginate on texture, color and stability of restructured chops, 38
effect of feeding elevated levels of monounsaturated fats to growing-finishing swine on acceptability of hams, 1485
effect of feeding monounsaturated fat to swine on acceptability of low-fat sausage, 1497
effect of moisture content on density, heat capacity and conductivity of -soy hull mixtures, 1491
evaluation of antioxidants in frankfurters containing, 629
hot-boning, tumbling, salt and chopping temperature effects on cooking yield and acceptability of emulsion-type sausage, 1255
Listeria in, 572
myoglobin analysis for determination in cooked products, 1528
physical and sensory characteristics of low-fat sausage with water added, 625
physical, chemical and sensory properties of summer sausage from high-oleate, 937
predictive model for lightness of comminuted lean meat during heating, 601
quality of processed meats from pigs treated with porcine somatotropin, 929
role of phospholipid on TBA reactive substances formation in aorta, 1243
sensory and chemical characteristics of microwave reheated roasts, 618
sensory and chemical characteristics of roasts cooked to different end-point temperatures, 613

porosity
in drying starch materials, 1367

potassium
chloride: effect on rancidity of dark turkey meat heated by microwave, 1549
sorbate: microbiological and physicochemical changes in beef treated with, 323; permeability of methylcellulose and hydroxypropyl methylcellulose coating: effect of fatty acids, 841; to control growth of S cerevisiae in lab media, 837

potato
application of browning inhibitors to by vacuum and pressure infiltration, 1049
contribution of sucrose to nonenzymatic browning in chips, 281
effect of irradiation on glycoalkaloids in kennebec and russet burbank, 1740
effect of low temperature and modified atmosphere on sugar accumulation and chip color in, 1341
effect of packaging material on nitrate nitrogen content of irradiated, 1183
fractal structure of starch and sorption characteristics, 1334
hydration behavior of starch as determined by 2H NMR, 458
low temperature sweetening in susceptible and resistant: starch structure and composition, 1054
respiratory enzyme activity in low temperature sweetening of susceptible and resistant, 1060
starch gelatinization in cold temperature sweetening resistant, 1338
sweet: moisture sorption characteristics of starch, 232

pouch
effect of retort heat transfer coefficients of different thermal processing stages, 1421

powder
lactose crystallization in skim milk observed by hydrodynamic equilibria, SEM and NMR, 994

prawn, grass
changes in biochemical and bacteriological quality of during transportation by icing and oxygenating, 670

preblending
low-fat, high-added water bologna: effects on physical and sensory characteristics, 338

preservative
lactic fermentation effects on quality of dendeng giling, 1523

pressure
application of browning inhibitors to cut apple and potato by infiltration, 1049
effect of cooking and rate change during cooling in vacuum on chicken quality and yield, 1531
effect on shear force of beef muscles during heat treatment, 15

pretreatment
evaluation of 9 semi-pilot scale whey modifications for producing WPC, 510

processing
amino acid hydrolysate from waste, 379
chemical and physical changes in beet during simulated- relevance to black ring defect in canned beets, 1039
correlation of extrudate infusibility with bulk properties using image analysis, 1378
detection of pork in meat by ELISA using antiswine antisera, 293
determination of hot-fill-hold-cool specification for crushed tomatoes, 1029
dialyzable calcium from milk with soluble fiber-containing gums, thickeners and cocoa, 1004
dietary fiber ingredients obtained by brewer's dried grain, 551
diffusion phenomena during chemical peeling of tomatoes, 552
dilatancy in starch solutions under low acid aseptic, 1764
effect of conditions on oxidative stability and carbon dioxide formation in low fat dry milk, 401
effect of factors on quality of surimi, 661
effect of infrared heat on rehydration rate and cooking of pinto beans, 1472
effect of salt, sugar and screw speed on corn meal extruded with twin-screw extruder, 224
effect on pear juice quality and protein stability, 1610
effect on soluble sugars of brassica seeds, 1470
faba bean protein recovery and application to pilot scale, 1093
high-temperature short-time pasta: effect of formulation on extrudate properties, 1651
kinetic analysis of factors on changes in color of comminuted meats during, 604
kinetic data for use in design and evaluation of high temperature systems, 851
of scrambled eggs containing defatted yolk solids, 583
physical and sensory characteristice of low-fat pork sausage with water added, 625
physical-chemical properties and cooking yield of hamburgers prepared from accelerated beef, 1268
polyphenoloxidase activity associated with black ring defect in canned beets, 1042
production of canola protein materials by membrane, 1147
quality of meats from pigs treated with porcine somatotropin, 929
red raspberry juice and wine: effect on anthocyanin pigment composition, color and appearance, 1011
rheology of maize starch solutions under low acid aseptic conditions using tube viscometry, 1660
shrouding, spray-chilling and vacuum-packaged aging effects on beef, 1270
simulation of vacuum infusion using idealized components: effects of pore size and suspension concentration, 989
thermal: effect of retort pouch heat transfer coefficients of stages, 1421; effect on lima bean vitamin B-6 availability, 154; inactivation of C botulinum in oyster homogenates at minimal temperatues, 372; time-temperature equivalence of discrete particles during, 1696

protease
deamidation during treatment of soy protein with, 127
parasite interactions in arrowtooth flounder, 579

protein
association of zinc with soy as affected by heat and pH, 263
bound water associated with soy determined by vapor sorption isotherms and pulsed NMR, 130
continuous hydrolysis of milk in membrane reactor, 381
contribution of flexibility to foaming properties of casein, 1445
corn germ flour as extender in broiled beef patties, 888
correlation of sulfhydryls with strength of heat-formed egg white gels, 1753
cryoprotectant effects on cod-surimi during frozen storage, 1222
cryoprotective effects of lactitol, palatinit and polydextrose on cod surimi during frozen storage, 356
deamidation during treatment of soy with protease, 127
development of test to predict properties of raw turkey muscle, 932
digestibility and flatulence potential of germinated cowpeas, 151
effect of antioxidant and conditions on solubility of irradiated, 1127
effect of germination and fermentation on digestibility of pearl millet, 883

effect of pH on formation, composition and rehydration capacity of winged bean and soybean lipid film, 261
effect of temperature on viscoelastic properties and activation energies of whey gels, 1296
effect of variety, maturity and processing on pear juice quality and stability of, 1610
electrolytic reduction of heme: preparation of stable colorant for sausage, 1689
enthalpy of denaturation and surface functional properties of heated egg whites in dry state, 1280
evaluation of 9 semi-pilot scale whey modifications for producing whey concentrate, 510
evaluation of heat-damage to by coomassie blue G dye-binding, 805
evaluation of textural properties of extrudates from blends of high starch fractions of dry beans, 1081
faba bean recovery and application to pilot scale processing, 1093
factors affecting emulsion capacity as measure of functionality for nonmeat, 267
fractionation of crystalline and non-crystalline from white kidney beans by ion-exchange HPLC, 777
heat-induced gelation of myofibrillar: effect of blood plasma and globin, 1494
influence of denaturation, hydrophobicity and sulfhydryl content on water absorbing capacity and solubility of soy isolates, 765
influence of enzymatic hydrolysis on structure and emulsifying properties of sardine hydrolysates, 1571
inhibition of lectin induced rabbit erythrocyte agglutination by hydrolysates of skeletal beef, 867
interactions among calcium, zinc and phytate in, 1720
kinetic compensation effect in heat denaturation of whey, 589
lipid composition and hydration characteristics of lung isolates, 19
meat by-product composition and functional properties in model systems, 640
pH and heat treatment effects on foaming of whey isolate, 1116
physicochemical and gelation properties of chicken salt-soluble, 1544
procedure for measuring foaming properties of, 1441
production of amaranth flour and carbohydrate rich fraction, 1156
production of canola materials by alkaline extraction, precipitation, and membrane processing, 1147
production of hypoallergenic rice by decomposition of, 781
properties of soybeans related to flow, viscoelastic, mechanical and water-holding characteristics of gels, 133
quality of muscle foods as affected by exchange of dietary wheat bran for cellulose, 885
recovery from sweet whey using solid state sulfitolysis, 1559
relationships between physicochemical properties of nonfish and textural properties of surimi gel, 972
thermal denaturation and aggregation of in minced fish as studied by thermomechanical method, 1477
thermal denaturation of hake myofibrillar, 683
thermal destruction of cysteine and cystine residues of soy under conditions of gelation, 1077
thermal transitions of salt-soluble from chicken, 1540
viscoelastic properties of whey gels: mechanical model and effects of concentration on creep, 516
yield and composition of surimi from whiting and effect of additives on gel strength, 83

proteinase
degradation of oval-filefish meat gel caused by, 364

proteolysis
degradation of threadfin-bream meat gel, 259
of casein by papain in complex environment: influence of ionic strength on reaction products, 796
of casein by papain: influence of ionic strength on kinetics, 801
tetrathionate protects proteolytic activity of papaya latex and crude papain, 1728

prune
moisture sorption isotherms of, 1594

Pseudomonas
fluorescens: colonization of beef muscle surfaces by, 898
fragi: colonization of beef muscle surfaces by, 898

puffing
pretreating dent corn grits for in rice cake machine, 1345

purge
styrene monomer migration as monitored by GC and sensory analysis for polystyrene containers, 522
purification of milk catalase by immunoaffinity chromatography, 1172
of steviosides by membrane and ion exchange processes, 1454
of strawberry polyphenoloxidase, 1315
procedures for conglycinin and effect of toasting, 283

pyrylium
betaines as reactive intermediates in maillard reaction, 1124

Q

quality
acid-blanching and EDTA effects on canned mushrooms, 1327
changes in grass prawn during transportation by icing and oxygenating, 670
characteristics of yellow and white fleshed peach, 1308
drying, packaging and storage effects on basil, marjoram and wild marjoram. 1373
effect of brining and packing conditions on capers, 196
effect of frozen storage and processing factors on surimi, 661
effect of holding time on functionality of cowpea paste and akara, 558
effect of pressure cooking and pressure rate change during cooling in vacuum on chicken, 1531
effect of variety, maturity and processing on pear juice, 1610
for baking of molasses cookies prepared with bleached and unbleached flour and baked in infrared, forced air convection, and conventional deck ovens, 1095
harvest date and CA storage management effects on processed apple slices, 1046
improvement of hypoallergenic rice grains, 1105
irradiation effect on onion after sea shipment from Argentina to Netherlands, 1181
lactic fermentation effects on preservation of dendeng giling, 1523
microwave energy effects on seed oils, 1412
of beef and soy-extended patties as influenced by freezing rate, frozen storage temperature, and storage time, 893
of cheddar cheese containing added lactobacilli, 114
of lysine-fortified fish sauce, 983
of muscle foods as affected by exchange of dietary wheat bran for cellulose, 885
of processed meats from pigs treated with porcine somatotropin, 929
of tofu as affected by soybean and soymilk characteristics: calcium sulfate coagulant, 1088
shrouding, spray-chilling and vacuum-packaged aging effects on beef, 1270

quarg
effects and partitioning of bacterial cultures during cheese manufacture, 398

R

rabbit
effects of freezing on physical properties and sensory characteristics of meat from fryer and senior, 568
inhibition of lectin induced erythrocyte agglutination by hydrolysates of skeletal beef protein, 867

radiolysis
degradation of sorbic acid, 1699

raffinose
synthesis of sucrose polyesters:comparison of properties to, 236

raisin
moisture sorption isotherms of, 1594
moisture sorption isotherms of dried, 1591
significance of copper in alcohol production with fermentation of extracts by cell recycle process, 1588

rancidity
effect of NaCl and KCl on dark turkey meat heated by microwave, 1549

ranked data
multiple comparisons for, 1168

raspberry
juice and wine: effect of processing and storage on anthocyanin pigment composition, color and appearance, 1011

RAST
production of hypoallergenic rice by enzymatic decomposition of constituent proteins, 781

refining
efficiency of removing volatiles from menhaden oil by, 1669

refrigeration
lipid oxidation in chicken after roasting and, 30
shelf-life enhancement of lamb under by gamma irradiation, 865

rehydration
effect of infrared heat processing on pinto beans, 1472
effect of pH on capacity of winged bean and soybean protein-lipid film, 261

rennet
effects and partitioning of bacterial cultures during quarg cheese manufacture, 398

residues
in farm-raised channel catfish, 954
of antibiotics and drug resistant bacteria in beef and chicken tissues, 632

respiration
finite-difference model for heat and mass transfer in products with internal heat generation and transpiration, 484

retort
effect of pouch heat transfer coefficients of different thermal processing stages and pouch material, 1421

rheology
determination of behavior of tomato concentrates using back extrusion, 554

effect of manufacturing conditions on banana gelified milk: optimization of technology, 1630
influence on ultrasound-assisted heat transfer between liquid and particles, 1112
modeling of corn starch doughs at low to intermediate moisture, 417
of egg white/oat globulin co-gels, 99
of sweetened concentrated desludged soy beverages, 537
of waxy maize starch solutions under low acid aseptic processing conditions using tube viscometry, 1660

rice
development of wash and cook-proof methods for vitamin enrichment of, 1102
identification and quantification of popcorn-like aroma in LA aromatic della, 1466
pretreating dent corn grits for puffing in cake machine, 1345
production of hypoallergenic by enzymatic decomposition of constituent proteins, 781
quality improvement and evaluation of hypoallergenic, 1105

rigor mortis
effects on gel-forming properties of surimi and mince prepared from Tilapia, 351
methods for following development in fish, 346

ripening
calcium bioavailability from cheddar cheese, 1293
changes in lactic acid bacteria in Kefalotyri cheese, 111

roasting
lipid oxidation in chicken after, 30

roselle (Hibiscus sabdariffa L.)
spray drying of extract, 1073

Ross equation
predicting water activity in solutions of mixed solutes, 494

rutabaga
glucosinolates in grown in soil capped over coal fly ash, 556

S

Saccharomyces cerevisiae
approach to control growth of in lab media, 837

saffron
auto-oxidation in at 40 C and 75% humidity, 595

safrole
determination in ham by HPLC with UV detection, 1194

salad
synthesis of sucrose polyesters: comparison of properties to oils, 236

salami
identification of volatiles, 1239

salmon
developing a color card for raw flesh of astaxanthin-fed, 361

Salmonella
development of colorimetric nucleic acid hybridization method for detection of in foods, 1394

salt
characteristics of beef batters as influenced by, 1518
effect of mechanically separated beef with chloride in steaks, 342
effect on cooking yield and acceptability of emulsion-type pork sausage, 1255
effect on heating-related softening of snap beans, 1312
effect on processing and product variables of corn meal extruded with twin-screw extruder, 224
effect on sensory and storage traits of restructured beef steaks, 1274
effect on thermal destruction of S aureus MF-31, 833
influence of preheating skimmilk on water-holding capacity of sodium caseinates and coprecipitates, 879
isotherm equation for calculation of high system water activities, 265
kinetics of methylmethionine sulfonium destruction in model particulate system, 502
Lactobacillus plantarum and enterobacter cloacae growth in cucumber extract containing, 1634
model for quantitating energy and degree of starch gelatinization based on content of, 543
physicochemical and gelation properties of chicken -soluble proteins, 1544
textural and chemical characteristics of beef roasts as influenced by, 330
thermal transitions of soluble proteins from chicken muscles, 1540

sardine
influence of enzymatic hydrolysis on structure and emulsifying properties of protein hydrolysates, 1571

sauce
quality and sensory acceptance of lysine-fortified fish, 983

sausage
effect of feeding monounsaturated fat to swine on acceptability of, 1497
effect of heating in nonwoven, melt-blown material, 298
electrolytic reduction of heme proteins: preparation of stable colorant for, 1689
heat-induced gelation of: effect of blood plasma and globin, 1494
hot-boning, tumbling, salt and chopping temperature effects on cooking yield and acceptability of emulsion-type pork, 1255
physical and sensory characteristics of low-fat pork with water added, 625
summer: physical, chemical and sensory properties of made from high-oleate pork, 937

scald
control on pears by ethoxyquin: effect of concentration, time and method of application, and storage, 167; oxidation of farnesene, 171
scalping oxygen permeability of polyethylene as function of limonene absorption: approach to modeling flavor, 587

scavenging system
oxygen absorption properties of powdered iron, 869

sea urchin
lipid changes in gonads during storage, 967

seafood
acceleration of physicochemical change in carp muscle by washing in chilled or heated water, 674
amino acid hydrolysate from crab processing waste, 379
analysis of crabmeat volatile compounds, 962
ATP catabolites as flavor compounds and freshness indicators in cod and pollock, 257
bacterial growth and histamine production on vacuum packaged tuna, 59
bicarbonates for microbial control and improved water-binding capacity in cod fillets, 1564
biochemical and physicochemical properties of actomyosin from pre- and post-spawned hake stored on ice, 688
biochemical properties of actomyosin of cold stored adductor muscles of molina, 1567
changes in biochemical and bacteriological quality of grass prawn during transportation by icing and oxygenating, 670
characterization of oyster shucking liquid wastes and utilization as oyster soup, 374
chemical composition and ice spoilage of albacore, 678
chemical indicators of decomposition for raw surimi and flaked artificial crab, 349
color in raw, baked and smoked flesh of trout fed astaxanthin or canthaxanthin, 1574
control of muscle softening and protease parasite interactions in arrowtooth flounder, 579
cryoprotectant effects in surimi and surimi/mince-based extruded products, 1210
cryoprotectant effects on cod-surimi proteins during frozen storage, 1222
cryoprotective effects of lactitol, palatinit and polydextrose on cod surimi proteins during frozen storage, 356
degradation of oval-filefish meat gel caused by myofibrillar proteinases, 364
determination by HPLC of fat-soluble vitamins in albacore, 77
developing a color card for raw flesh of astaxanthin-fed salmon, 361
effect of frozen storage and processing factors on quality of surimi, 661
effect of powdered cellulose on texture and freeze-thaw stability of surimi-based shellfish analog products, 87
effect of rigor mortis on gel-forming properties of surimi and mince prepared from Tilapia, 351
effect of surimi addition to fresh pasta on ultra-structure and cooked firmness, 1481
effect of vacuum packaging, glazing and erythorbic acid on shelf life of hake and mackerel, 64
enzymatic method to differentiate between fresh and frozen-thawed fish, 74
factors influencing catalysis of lipid oxidation by soluble fraction of mackerel muscle, 947
feasibility study on determination of fish freshness by trimethylamine headspace analysis, 1228
finfish species as potential fish oil source, 1743
fish state and mixing time effects on textural characteristics of restructured catfish, 1747
flesh and peritoneal lining color of gold, bronze, and black Tilapia mossambica, 255
freshness assessment of New England fish species using the torrymeter, 79
heat inactivation of catalase from cod muscle and from some psychrophilic bacteria, 581
histamine and tyramine during storage and spoilage of anchovie: relationships with other fish spoilage indicators, 1192
influence of enzymatic hydrolysis on structure and emulsifying properties of sardine protein hydrolysates, 1571
inhibition of modori (gel weakening) in surimi by plasma hydrolysate and egg white, 665
irradiation effects on shelf life and gel forming properties of red hake mince, 1745
lipid changes in sea urchin gonads during storage, 967
methodology for quantification of geosmin in rangia clam, 1233
methods for following rigor development in fish, 346
nonenzymic catalysts of lipid oxidation in mackerel muscle, 951
nucleotide catabolism as freshness indicator in flatfish from gulf of Alaska, 1236
nutrients and chemical residues in farm-raised channel catfish, 954
omega-3 fatty acids in Lake Superior fish, 71

properties of trypsin from pyloric ceca of atlantic cod, 959
proteiolytic degradation of threadfin-bream meat gel, 259
quality and sensory acceptance of lysine-fortified fish sauce, 983
quantification of shrimp in shrimp-surimi mixtures using urea gel IEF, 1206
relationships between physicochemical properties of nonfish protein and textural properties of protein-incorporated surimi gel, 972
role of muscle fibers in firmness of cooked fish, 693
shelf life of shrimp stored at different temperatures, 1201
strength of gels prepared from minces of hoki stored in ice, 976
tensile characteristics of squid mantle, 369
textural degradation of cooked fish meat gel (Kamaboko) by addition of mushrooms, 979
thermal denaturation and aggregation of proteins in minced fish as studied by thermomechanical method, 1477
thermal denaturation of hake myofibrillar proteins, 683
thermal inactivation of Clostridium botulinim type E spores in oyster homogenates at minimal processing temperatures, 372
yield and composition of surimi from whiting and effect of protein additives on gel strength, 83

sensory evaluation
acceptability and nutrient content of milk substitutes from cowpeas, 701
acceptability of bacon as influenced by feeding of elevated levels of monounsaturated fats to growing-finishing swine, 621 acid-blanching and EDTA effects on yield, quality and microbiological stability of canned mushrooms, 1327
ATP catabolites as flavor compounds and freshness indicators in cod and pollock, 257
brining and packing conditions on product quality of capers, 196
calcium oxalate crystals: irritant factor in kiwifruit, 1066
changes in biochemical and bacteriological quality of grass prawn during transportation by icing and oxygenating, 670
characterization of oyster shucking liquid wastes and utilization as oyster soup, 374
chemical indicators of decomposition for raw surimi and flaked artificial crab, 349
color in raw, baked and smoked flesh of trout fed astaxanthin of canthaxanthin, 1574
comparison of milk-based and soymilk-based yogurt, 532
comparison of quality characteristics of yellow and white fleshed peach, 1308
composition of apricot aroma, 735
corn germ flour as extender in broiled beef patties, 888
developing a color card for raw flesh of astaxanthin-fed salmon, 361
drying, packaging and storage effects on quality of basil, marjoram and wild marjoram, 1373
effect of animal age on tenderness of beef muscles, 1
effect of calcium carbonate and Na alginate on texture, color and color stability of restructured pork chops, 38
effect of chloride salts and antioxidants on restructured beef, 1274
effect of dough materials on flavor formation in baked cookies, 409
effect of feeding monounsaturated fat to swine on acceptability of ham, 1485
effect of feeding monounsaturated fat to swine on acceptability of low-fat sausage, 1497
effect of freezing on meat from fryer and senior rabbits, 568
effect of heating bacon and sausage in nonwoven, melt-blown material, 298
effect of holding time on functionality of cowpea paste and quality of akara, 558
effect of mechanically separated beef with chloride salts in beef steaks, 342
effect of powdered cellulose on texture and freeze-thaw stability of surimi-based shellfish analog product, 87
effect of pressure cooking and pressure rate change during cooling in vacuum on chicken quality and yield, 1531
effect of stabilizers on characteristics of yogurt ice cream from sheep's milk, 703
effect of sulfur dioxide and storage temperature of apple juice, 728
effect of temperature, time and number of water extractions on physicochemical and flavor characteristics of peanuts, 790
effect of trimming and added connective tissue on beef roasts, 1258
effect of vacuum packaging, glazing and erythorbic acid on shelf life of frozen white hake and mackerel, 64
evaluation of beer deterioration by chemiluminescence, 1361
evaluation of properties of polystyrene divinylbenzene adsorbents for debittering grapefruit juice, 440
flavor characteristics of forage- and grain-fed beef as influenced by phospholipid and fatty acid compositional differences, 312
flavor, texture, color, and hexanal and TBA values of frozen cooked beef packaged in modified atmosphere, 26
flesh and peritoneal lining color of gold, bronze and black Tilapia mossambica, 255
for baking of molasses cookies prepared with bleached and unbleached flour and baked in infrared, forced air convection, and conventional deck ovens, 1095
formulation of corn-based snacks with high nutritive value, 228
harvest date and CA storage management effects on quality of processed apple slices, 1046
hot-boning, tumbling, salt and chopping temperature effects on cooking yield and acceptability of emulsion-type pork sausage, 1255
hydrocolloids enable fat reduction in process cheese spreads, 1290
influence of lactobacilli on cheddar cheese, 386
lipid composition and flavor changes in irradiated mango, 1579
lipid oxidation in chicken after roasting and refrigerated storage, 30
low-fat, high-added water bologna: effects of massaging, preblending, and time of addition of water and fat on, 338
odorants in cucumbers and muskmelons by aroma extract dilution analysis, 193
of antioxidant treated beef, 1501 of bacon from pigs fed canola, 575
of beef steaks, 1264
of dairy products irradiated with cobalt-60 at -78xC, 404
of fermented summer sausage made from high-oleate pork, 937
of ground beef from forage- and grain-fed heifers, 649
of lamb chops cooked with and without external fat and epimysium, 570
of low-fat fresh pork sausage processed with various levels of added water, 625
of lysine-fortified fish sauce, 983
of microwave reheated pork roasts, 618
of pork roasts cooked to different end point temperatures, 613
of scrambled eggs containing defatted yolk solids, 583
of soymilk yogurt, 528
of tempeh produced by fermentation of common beans, 123
of textural properties of extrudates from blends of high starch/high protein fractions of dry beans, 1081
of warmed-over flavor during chill storage of chicken, 644
palatability of chilled and frozen beef steaks, 301
physical and compositional characteristics of beef carcasses selected for leanness, 9
quality of beef and soy-extended patties as influenced by freezing rate, frozen storage temperature, and storage time, 893
quality of cheddar cheese containing added lactobacilli, 114
quality of processed meats from pigs treated with porcine somatotropin, 929
shelf life of shrimp stored at different temperatures, 1201
shelf-life enhancement of lamb under refrigeration by gamma irradiation, 865
shrouding, spray-chilling and vacuum-packaged aging effects on processing and eating quality attributes of beef, 1270
strength of gels prepared from washed and unwashed minces of hoki stored in ice, 976
styrene monomer migration as monitored by, 522
time-intensity evaluation of sweetness and fruitiness and interaction in model solution, 450

serum
test for evaluation of separation potential of tomato ketchup, 1626

shear
effect of freezing of beef on, 573
effect of high pressure during heat treatment on beef muscle, 15
effect of post-cooking storage conditions on values of beef steaks, 858
sheep effect of stabilizers on textural and sensory characteristics of yogurt ice cream from milk from, 703
myoglobin analysis for determination in cooked products, 1528
shellfish effect of powdered cellulose on texture and freeze-thaw stability of surimi-based analog products, 87

shredding
survival of Listeria monocytogenes on lettuce as influenced by, 755

shrimp
changes in biochemical and bacteriological quality of grass prawn during transportation by icing and oxygenating, 670
quantification of in -surimi mixtures using urea gel IEF, 1206
shelf life of stored at different temperatures, 1201

shrouding
effect on processing and eating quality attributes of beef, 1270
silicon separation of 1-octen-3-ol from aqueous solutions by pervaporation through membrane, 1399
singrin fate in methanol/ammonia/water-hexane extraction of B juncea mustard seed, 793

skin
lipid oxidation in chicken after roasting and refrigerated storage, 30

smoking
color in flesh of trout fed astaxanthin or canthaxanthin, 1574

snack food
formulation of corn-based with high nutritive value:biological and sensory evaluation, 228

sodium
acetate: microbiological and physicochemical changes in beef treated with, 323
alginate: effect on texture, color and stability of restructured pork chops, 38; preparation of colorless globin from bovine hemoglobin using, 577
chloride: characteristics of bovine plasma gels as affected by, 252; effect on rancidity of dark turkey meat heated by microwave, 1549; microbiological and physicochemical changes in beef treated with, 323; proteolysis of casein by papain in complex environment: influence of ionic strength on reaction products, 796
hydroxide: diffusion during chemical peeling of tomatoes, 552
influence of preheating skimmilk on water-holding capacity of salts of caseinates and coprecipitates, 879
physical parameters involved in addition of inorganic phosphates to meat emulsions, 23
tripolyphosphate: characteristics of bovine plasma gels as affected by, 252

softening
control of muscle in arrowtooth flounder, 579
effect of calcium ions on thermodynamics of cucumber tissue, 446
effects of salts and pH on heating of snap beans, 1312

sogurt
development of yogurt-like soybean product, 1178

soil
glucosinolates in rutabaga grown in capped over coal fly ash, 556

solubility
effect of antioxidant and conditions on irradiated food proteins in aqueous solutions, 1127
influence of denaturation, hydrophobicity and sulfhydryl content on of soy protein isola e, 765

solute
predicting water activity in solutions of mixed, 494
relationship between freezing point depression and composition of fruit juice systems, 566
rotational diffusivity of in caseinates: influence of glycosylation, 724

solvent
lipid composition and hydration characteristics of lung protein isolates defatted by, 19

somatotropin
quality of processed meats from pigs treated with, 929

sorbitol
cryoprotectant effects in surimi and surimi/mince-based extruded products, 1210

sorghum
influence of milling method and peanut extract on iron availability from flour gruels, 1657

sorption
characteristics of ground sunflower nutmeat and its products, 786
fractal structure of deformed potato starch and characteristics of, 1334
isotherm: bound water associated with soy protein determined by, 130; characteristics of kudzu starch and sweet potato starch, 232; comparison of vapor and liquid for casein and casein-sucrose mixture, 434; effects of drying conditions on of freeze-dried horseradish, 206; mobility and activity of water in casein model systems as determined by, 430; models for at very high water activities, 759; of dried apricot, fig and raisin, 1591; of raisins, currants, figs, prunes and apricots, 1594
partition distribution of aroma volatiles from orange juice into polymeric sealant films, 158

soup
characterization of oyster liquid shucking waste and utilization as, 374

soybean
association of zinc with proteins as affected by heat and pH, 263
bound water associated with protein determined by vapor sorption isotherms and pulsed NMR, 130
cholesterol content of -pork mixture, 1488
deamidation during treatment of protein with protease, 127
development of yogurt, a yogurt-like product from, 1178
effect of alpha, gamma, and delta tocopherols on oxidative stability of oil, 1464
effect of moisture content on density, heat capacity and conductivity of -pork mixtures, 1491
effect of pH on formation, composition and rehydration capacity of protein-lipid film, 261
factors affecting emulsion capacity as measure of protein functionality for nonmeat proteins, 267
influence of denaturation, hydrophobicity and sulfhydryl content on water absorbing capacity and solubility of protein isolates, 765
mobility and activity of water in sweetened concentrated desludged beverages and rheological properties, 537
modelling water absorption in at three temperatures using Peleg's equation, 1084
plant sterols in hulls, 271
properties of protein related to flow, viscoelastic, mechanical and water-holding characteristics of gels, 133
quality of extended beef patties as influenced by freezing rate, frozen storage temperature, and storage time, 893
thermal destruction of cysteine and cystine residues of protein under conditions of gelation, 1077
yield and quality of tofu as affected by: calcium sulfate coagulant, 1088

soymilk
comparison of milk-based and -based yogurt, 532
effect of solids on acid production by lactobacilli, 1643
yield and quality of tofu as affected by: calcium sulfate coagulant, 1088
yogurt: sensory evaluation and chemical measurement, 528

spectrometry
mineral extraction techniques of citrus juices as analyzed by inductively coupled plasma atomic emission, 1359

spectrophotometry
determination of pigments in red meats, 250

spectroscopy, nuclear magnetic resonance
for measurement of oil in french-style dressings, 763
hydration behavior of potato starch as determined by, 458
hydration studies of maltodextrins by proton, 2H and O-17, 462
mobility and activity of water in casein model systems as determined by, 430

spice
drying, packaging, and storage effects on quality of basil, marjoram and wild marjoram, 1373
inhibition of C botulinum 33A, 40B and 1623E by essential oil of, 1676

spoilage
control of canned mushrooms inoculated with C sporogenes by acid-blanching and EDTA, 1331
histamine and tyramine during of anchovie, 1192
of albacore, 678

spray
chilling effect on processing and eating quality attributes of beef, 1270
drying: characterization of materials for lemon oil encapsulation by, 1366; of roselle extract, 1073; prediction of retention of flavor during, 1683; survival of lactic acid bacteria during of yogurt, 1008

springiness
effect of heat-treatment of wheat flour on pancake, 784

squid
tensile characteristics of mantle, 369

stability
acid-blanching and EDTA effects on canned mushrooms, 1327
effect of alpha, gamma, and delta tocopherols on oxidation of soybean oil, 1464
effect of calcium carbonate and Na alginate on restructured pork chops, 38
effect of heating rate on meat batter, 334
effect of powdered cellulose on surimi-based shellfish analog products, 87
effect of processing conditions and antioxidants on low fat dry milk, 401
effect of variety, maturity and processing on pear juice quality and protein, 1610
evaluation of emulsion by centrifugation with conductivity measurements, 1666
influence of metmyoglobin reducing capacity on color of beef, 1278
influence of sugar on anthocyanin pigment in frozen strawberries, 1064
of color in meat systems during frozen storage, 1513
of sweetener sucralose in beverages, 244
oxidation of cholesterol-free egg lipid fractions, 92
shelf-life enhancement of lamb under refrigeration by gamma irradiation, 865

stabilizers
effect on textural and sensory characteristics of yogurt ice cream from sheep's milk, 703

staling
effect of carbon dioxide atmosphere on in bread, 411

Staphylococcus aureus: characterization
of strains by lipolytic activity on agar media, 591; 234: effect of vacuum concentration on survival and behavior of, 269; MF-31: effect of salts and temperature on thermal destruction of, 833

starch
amylo-oligosaccharide formation from B stearothermophilus alpha-amylase action on, 560
density and porosity in drying materials, 1367
differential scanning calorimetry of mung bean, 771
digestibility and flatulence potential of germinated cowpeas, 151
dilatancy in solutions under low acid aseptic processing conditions, 1764
effect of germination and fermentation on digestibility of pearl millet, 883
effect of temperature on properties of extrudates from fractions of navy, pinto and garbanzo beans, 486
evaluation of textural properties of extrudates from blends of high protein fractions of dry beans, 1081
fractal structure of potato and sorption characteristics, 1334
gelatinization and liquefaction of with heat stable alpha amylase, 1365
gelatinization in cold temperature sweetening resistant potatoes, 1338
hydration behavior of potato as determined by 2H NMR, 458
isotherm equation for calculation of high system water activities, 265
low temperature sweetening in susceptible and resistant potatoes: structure and composition, 1054
model for quantitating degree of gelatinization based on water, sugar and salt contents, 543
moisture sorption characteristics of kudzu and sweet potato, 232
rheological modeling of corn doughs at low to intermediate moisture, 417
rheology of maize solutions under low acid aseptic processing conditions using tube viscometry, 1660
twin-screw extrusion modification of corn, 746
water mobility in sucrose systems; O-17 NMR study, 1732
statistics multiple comparisons for ranked data, 1168

sterilization
determination of thermal diffusivity and heat transfer coefficient during of carrot dices, 199
ultra high temperature: kinetic parameters for inactivation of Bacillus stearothermophilus at high temperatures, 488

sterol
of plant in soybean hulls, 271

steviosides
purification of by membrane and ion exchange processes, 1454

stomaching
homogenization by: effect on recovery of L monocytogenes from beef, 655

storage
analysis and stability of sweetener sucralose in beverages, 244
ATP catabolites as flavor compounds and freshness indicators in cod and pollock, 257
biochemical and physicochemical properties of actomyosin from hake on ice, 688
biochemical properties of actomyosin of adductor muscles of molina, 1567
brining and packing conditions on product quality of capers, 196
chemical indicators of decomposition for raw surimi and flaked artificial crab, 349
control of scald on pears by ethoxyquin, 167
control of scald on pears by ethoxyquin: oxidation of farnesene, 171
cryoprotectant effects in surimi and surimi/mince-based extruded products, 1210
cryoprotectant effects on cod-surimi during frozen, 1222
cryoprotective effects of lactitol, palatinit and polydextrose on cod surimi protein during frozen, 356
effect of antioxidant and conditions on solubility of irradiated food proteins in aqueous solutions, 1127
effect of chloride salts and antioxidants on restructured beef, 1274
effect of freezing on quality of surimi, 661
effect of low temperature and modified atmosphere on sugar accumulation and chip color in potatoes, 1341
effect of mechanically separated beef with chloride salts in beef steaks, 342
effect of post-cooking on shear-force values of beef steaks, 858
effect of temperature on sensory properties of apple juice, 728
effect of time of sampling postmortem on myofibril fragmentation index of meat, 254
effect of vacuum packaging, glazing and erythorbic acid on shelf life of hake and mackerel, 64
effect on cheese whey, 1177
effect on concentration of orotic and uric acid in skim milk, 585
effect on quality of basil, marjoram and wild marjoram, 1373
enhancement of lamb under refrigeration by gamma irradiation, 865
enzymatic and color changes in lychee fruit, 1762
evaluation of warmed-over flavor during of chicken by chemical, instrumental and sensory methods, 644
factors influencing catalysis of lipid oxidation by soluble raction of mackerel muscle, 947
flavor, texture, color, and hexanal and TBA values of frozen cooked beef packaged in modified atmosphere, 26
formation of 4-vinyl guaiacol in orange juice by HPLC, 162
histamine and tyramine during of anchovie, 1192
influence of aerobic metmyoglobin reducing capacity on color stability of beef, 1278
influence of sugar on anthocyanin pigment stability in frozen strawberries, 1064
irradiation effect on onion keeping quality after sea shipment from Argentina to Netherlands, 1181
irradiation effect on red hake mince, 1745
lipid changes in sea urchin gonads during, 967
lipid oxidation and color stability in meat systems during frozen, 1513
lipid oxidation in chicken after roasting and, 30
malondialdehyde-nitrite interactions in meat and model systems, 925
management effects on quality of processed apple slices, 1046
misting effects on ascorbic acid retention in broccoli during cabinet display, 1187
of oranges in controlled atmosphere to enhance essence and oil, 1617
quality of beef and soy-extended patties as influenced by time and temperature of, 893
red raspberry juice and wine: effect on anthocyanin pigment composition, color and appearance, 1011
shelf life of shrimp stored at different temperatures, 1201
strength of gels prepared from minces of hoki in ice, 976
temperature and light effects on ethyl carbamate formation in wine during, 1166

STPP
physical parameters involved in addition to reduced Na meat emulsions, 23
strawberry extraction and characterization of polyphenoloxidase, 1320
influence of sugar on anthocyanin pigment stability in frozen, 1064
polyphenoloxidase: role in anthocyanin degradation, 731
purification and characterization of polyphenoloxidase, 1315
strength correlation of protein sulfhydryls with heat-formed egg white gels, 1753
yield and composition of surimi from whiting and effect of protein additives on gel, 83

Streptococcus thermophilus
effect of water activity of milk on growth and acid production by, 708
structure influence of enzymatic hydrolysis on sardine protein hydrolysates, 1571

styrene
monomer migration as monitored by purge and trap GC and sensory analysis for polystyrene containers, 522

succinylation
effect on lactoglobulin foaming properties, 1735

sucralose
analysis and stability in beverages, 244

sucrose
comparison of vapor and liquid isotherms for casein mixtures, 434
contribution to nonenzymatic browning in potato chips, 281
cryoprotectant effects in surimi and surimi/mince-based extruded products, 1210
effect on physical/structural properties of extrudates, 1383
isotherm equation for calculation of high system water activities, 265
synthesis of polyesters:comparison of properties to raffinose polyesters and salad oils, 236
water mobility in starch systems: O-17 NMR study, 1732

sugar
effect of low temperature and modified atmosphere on accumulation and chip color in potatoes, 1341
effect of processing on brassica seeds, 1470
effect on processing and product variables of corn meal extruded with twin-screw extruder, 224
influence on anthocyanin pigment stability in frozen strawberries, 1064
model for quantitating energy and degree of starch gelatinization based on content of, 543

sulfhydryl
correlation of protein with strength of heat-formed egg white gels, 1753
influence of content on solubility and water absorbing capacity of soy protein isolates, 765

sulfitolysis
recovery of proteins from sweet whey using solid state, 1559

sulfur
dioxide: effect on sensory properties of apple juice, 728
relationship of to ascorbic acid in vegetables, 181

sunflower
low-fat frankfurters with elevated levels of water and oleic acid oil, 871
moisture sorption characteristics of ground nutmeat and its products, 786

supplementation
effect of dietary oil and tocopherol on membranal lipid oxidation in chicken, 46

surface
application of ellipsometry to evaluate cleaning effectiveness, 1749
colonization of beef muscle by P fluorescens and P fragi, 898
effect of chemical glycosylation on properties of soluble fraction of casein, 437
lipophilization of lactoglobulin: effect of functional properties, 711
properties of heated egg white proteins in dry state, 1280
response modeling: twin-screw extrusion modification of corn fiber and starch blend, 746
study of white film develope on cut vacuum-packed dry-cured ham slices, 1189
temperature effects on food contact properties, 1199

surimi
chemical indicators of decomposition for, 349
cryoprotectant effects in extruded products, 1210
cryoprotectant effects on cod proteins during frozen storage, 1222
cryoprotective effects of lactitol, palatinit and polydextrose on cod proteins during frozen storage, 356
effect of addition to fresh pasta on ultra-structure and cooked firmness, 1481
effect of frozen storage and processing factors on quality of, 661
effect of powdered cellulose on texture and freeze-thaw stability of -based shellfish analog products, 87
effects of rigor mortis on gel-forming properties of prepared from Tilapia, 351
inhibition of modori in by plasma hydrolysate and egg white, 665
quantification of shrimp in mixtures using urea gel IEF, 1206
relationships between physicochemical properties of nonfish protein and textural properties of gel, 972
thermal conductivity of- measurement and modeling, 1217
yield and composition of from whiting and effect of protein additives on gel strength, 83

suspension
distributions of food particle in holding tube flow: distribution characteristics and fastest-particle velocities, 1703
simulation of vacuum infusion process using idealized components: effects of pore size and concentration, 989
velocity distributions of food particles in holding tube flow: experimental and modeling studies, 1448

sweeteners
analysis and stability of sucralose in beverages, 244
in susceptible and resistant potatoes: starch structure and composition, 1054
respiratory enzyme activity in susceptible and resistant potatoes, 1060
starch gelatinization in cold temperature resistant potatoes, 1338

sweetness
time-intensity evaluation of in model solution, 450

swine
acceptability of bacon as influence by monounsaturated fat feeding to, 621
functional characteristics, fatty acid composition, and palatability of bacon from pigs fed canola, 575

synthesis
of sucrose polyesters:comparison of physical properties of sucrose polyesters, raffinose polyesters and salad oils, 236

T

T tallow
prediction of cholesterol oxides in by dielectric measurement, 1673

Talaromyces flavus
alteration of heat resistance by growth conditions and heating medium composition, 830

tannin
variability in quantities in peach during maturation, 1585

TBA
role of phospholipid on reactive substances formation in chicken meat, skin, and swine aorta, 1243
values of frozen cooked beef packaged in modified atmosphere, 26

tempeh
sensory evaluation of produced by fermentation of common beans, 123

temperature
composition of ham processed under minimal aging conditions, 285
degradation products of 2-tert-butylhydroquinone at frying, 847
effect of cooking on enzyme activity in beef, 318
effect of storage on sensory properties of apple juice, 728
effect on cheese whey, 1177
effect on cooking yield and acceptability of emulsion-type pork sausage, 1255
effect on ethyl carbamate formation in wine during storage, 1166
effect on food contact surface properties, 1199
effect on Listeria monocytogenes at pH 4.5, 1754
effect on physicochemical and flavor characteristics of peanuts, 790
effect on properties of extrudates from high starch fractions of navy, pinto and garbanzo beans, 466
effect on sugar accumulation and chip color in potatoes, 1341
effect on thermal destruction of S aureus MF-31, 833
effect on viscoelastic properties and activation energies of whey protein gels, 1296
equivalence with time of discrete particles during thermal processing, 1696
estimating heat transfer coefficients in liquid particulate canned foods using only liquid data, 478
kinetic data for use in design and evalutaion of food processing systems, 851
kinetic parameters for inactivation of B. stearothermophilus at high, 488
modelling water absorption in soybean, cowpea and peanuts at various using Peleg's equation, 1084
quality of beef and soy-extended patties as influenced by storage, 893
reducing microbial populations on beef tissues: using an acid mixture, 903
respiratory enzyme activity in sweetening of susceptible and resistant potatoes, 1060
sensory and chemical characteristics of pork roasts cooked to different endpoints, 613
shelf life of shrimp stored at different, 1201
short-time pasta processing: effect of formulation on extrudate properties, 1651
starch gelatinization in sweetening resistant potatoes, 1338
survival of Listeria monocytogenes on lettuce as influenced by, 755
sweetening in susceptible and resistant potatoes: starch structure and composition, 1054
thermal inactivation of C botulinum in oyster homogenates at minimal, 372
viability of L. plantarum in orange juice under low, 1023

tenderness
effect of animal age on beef muscles, 1

tetrathionate
protects proteolytic activity of papaya latex and papain, 1728

texture
correlation between two variables each containing random error: application to data on, 1479
degradation of kamaboko by addition of mushrooms, 979
degradation of oval-filefish meat gel caused by myofibrillar proteinases, 364
effect of calcium carbonate and Na alginate on restructured pork chops, 38
effect of heating rate on meat batter, 334
effect of powdered cellulose on surimi-based shellfish analog products, 87
effect of stabilizers on yogurt ice cream from sheep's milk, 703
fish state and mixing time effects on characteristics of restructured catfish, 1747
instrumental and sensory evaluation of properties of extrudates from blends of high starch/high protein fractions of dry beans, 1081
of beef roasts as influenced by boning time and salt level, 330
of frozen cooked beef packaged in modified atmosphere, 26
relationships between physicochemical properties of nonfish protein and of protein-incorporated surimi gel, 972

texturization
by alginate of acid fruit pulps and juices, 1759

Theobroma cacao
extraction and HPLC enrichment of polyphenol oxidase from, 1108

thermal diffusivity
determination of during sterilization of carrot dices, 199

thermodynamics
effect of calcium ions on cucumber tissue softening, 446
water sorption of coffee solubles by frontal inverse GC, 475

thermomechanics
thermal denaturation and aggregation of proteins in minced fish as studied by, 1477

thiamin
retention of cooked beef loin roasts, 863

thickener
dialyzable calcium from milk processed with soluble fiber-containing, 1004

threadfin-bream
proteolytic degradation of meat gel, 259

Tilapia mossambica
effect of rigor mortis on gel-forming properties of surimi and mince prepared from, 351
flesh and peritoneal lining color of gold, bronze and black, 255

time-intensity method
evaluation of sweetness and fruitiness and interaction in model solution, 450

toasting
comparison of purification procedures for conglycinin and effect of, 283

tocopherol
effect of supplementation on membranal lipid oxidation in chicken, 46
effects of alpha, gamma, and delta on oxidative stability of soybean oil, 1464
in chicken determined by reverse phase liquid chromatography, 1536

tofu
yield and quality of as affected by soybean and soymilk characteristics: calcium sulfate coagulant, 1088

tomato
determination of hot-fill-hold-cool process specifications for crushed, 1029
determination of rheological behavior of concentrates using back extrusion, 554
diffusion during chemical peeling of, 552
extraction of lycopene and carotene from paste, 1460
test for evaluation of serum separation potential of ketchup, 1626

torrymeter
freshness assessment of New England fish species using, 79

transpiration
finite-difference model for heat and mass transfer in products with internal heat generation and, 484

transportation
changes in biochemical and bacteriological quality of grass prawn during, 670

Trichinella spiralis
bioassay analysis of ham processed to affect, 289

trimethylamine
feasibility study on determination of fish freshness by headspace analysis, 1228

trimming
effect on compositional, physical and sensory properties of beef roasts, 1258

trout, rainbow
color in raw, baked and smoked flesh of fed astaxanthin or canthaxanthin, 1574

trypsin
effects of cooking on inhibitors in navy and red kidney beans, 470
properties of from pyloric ceca of atlantic cod, 959

tryptophan
mutagenicity and identification of reaction products of chlorine or chlorine dioxide with, 1714
oxidation of by hydrogen peroxide in model systems, 1120

TSPP
physical parameters involved in addition to reduced Na meat emulsions, 23

tumbling
effects on cooking yield and acceptability of emulsion-type pork sausage, 1255

tuna
bacterial growth and histamine production on vacuum packaged, 59
chemical composition and ice spoilage of albacore, 678

turkey
characterization of pink color in cooked, 1249
development of test to predict properties of raw muscle proteins, 932
effect of NaCl and KCl on rancidity of dark meat heated in microwave, 1549

tyramine
during storage and spoilage of anchovie: relationship with other fish spoilage indicators, 1192

U

ultrafiltration
for apple juice clarification, 1162
of green table olive brines: influence of operating parameters and effect on polyphenol composition, 214
polymers decrease cleaning time of membrane fouled with pectin, 873
purification of steviosides by membrane and ion exchange processes, 1454
whey peptide fractions obtained with two-step process, 106

ultrasound
influence of fluid rheological properties and particle location on -assisted heat transfer between liquid and particles, 1112

ultraviolet
determination of safrole and isosafrole in ham by HPLC with detection by, 1194

urea
application of acid urease to wine: determination of in wine, 1018
quantification of shrimp in shrimp-surimi mixtures using gel IEF, 1206

urease
application of to wine: determination of trace urea in wine, 1018

V

vacuum
application of browning inhibitors to cut apple and potato by infiltration, 1049
bacterial growth and histamine production on packaged tuna, 59
changes in microflora and characteristics of packaged pork loins irradiated at 3 kGy, 918
effect of concentration on survival and behavior of S aureus 234, 269
effect of packaging on processing and eating quality attributes of beef, 1270
effect of packaging on shelf life of hake and mackerel, 64
effect of pressure cooking and pressure rate change during on chicken qualtiy, 1531
microbiological and physicochemical changes in packaged beef treated with K sorbate, phosphate, NaCl and Na acetate, 323
simulation of infusion process using idealized components: effects of pore size and suspension concentration, 989
study of white film developed on cut surface of dry-cured ham slices, 1189

vapor
comparison with liquid isotherms for casein and casein-sucrose mixture, 434

vaporization
Leidenfrost phenomenon: investigation of nitrogen droplets on food surface, 808

vegetables
effect of antioxidants on peroxidase activity of extracts, 184
relationship of sulfur to ascorbic acid in, 181
thermal disintegration of tissues and polysaccharides fractionated by extraction, 739

velocity
distributions of food particle suspensions in holding tube flow: distribution characteristics and fastest-particle, 1703; experimental and modeling studies, 1448

viability
of Lactobacillus plantarum in orange juice under low pH and temperature conditions, 1023

Vicia faba
role of noncovalent forces in micellization using legumin from, 1638

viscoelasticity
effect of ionic strength on myosin during thermal gelation, 51
effect of temperature on of whey protein gels, 1296
of whey protein gels: mechanical model and effects of protein concentration on creep, 516
properties of soybean proteins related to characteristics of gels, 133

viscometry
of carboxymethyl kefiran, 1483
rheology of maize starch solutions under low acid aseptic processing conditions using, 1660

viscosity
monitoring by hot wire technique, 854
of fluid foods by continuous lift, 1170
rheological modeling of corn starch doughs at low to intermediate moisture, 417

vitamin
determination by HPLC of fat-soluble in albacore, 77
development of wash and cook-proof methods for enrichment of rice, 1102
effect of irradiation on carotene content of mangos and red capsicums, 1185
effect of thermal processing of lima bean B6 availability, 154
lack of B6 activity of 6-hydroxypyridoxine, 1143
misting effects on ascorbic acid retention in broccoli during cabinet display, 1187

volatiles
analysis from crabmeat, 962
analysis of related to warmed over flavor of cooked chevron, 861
comparison of quality characteristics of yellow and white fleshed peach, 1308
dynamic headspace concentration and GC of flavor components in peach, 1303
efficiency of removing from menhaden oils by refining, bleaching, and deodorization, 1669
identification of dry salami, 1239
method for analysis of headspace of peanuts, 279
of ground beef from forage- and grain-fed heifers, 649
of loquat, 176
partition distribution of from orange juice into polymeric sealant films, 158

W

wash
development of -proof methods for vitamin enrichment of rice, 1102

washing
acceleration of physicochemical change in carp muscle by, 674

waste
amino acid hydrolysate from processing, 379
characterization of oyster liquid shucking and utilization as oyster soup, 374
growth of Listeria monocytogenes inoculated in fluids from clean-up of a meat grinder, 277

water
GC determination of content in cheese, 1175
acceleration of physicochemical change in carp muscle by washing in chilled or heated, 674
associated with soy protein determined by vapor sorption isotherms and pulsed NMR, 130
bicarbonates for microbial control and improved -binding capacity in cod, 1564
effect of carbon dioxide atmosphere on in bread, 411
effect of drying conditions on sorption and phase transitions of horseradish, 206
effect of number of extractions on physicochemical and flavor characteristics of peanuts, 790
extraction of mutagens from chlorinated poultry chiller, 635
fate of singrin in methanol/ammonia/hexane extraction of B juncea mustard seed, 793
influence of denaturation, hydrophobicity and sulfhydryl content on absorbing capacity of soy protein isolates, 765
low-fat frankfurters with elevated levels of, 871
low-fat, high-added water bologna: effects on physical and sensory characteristics, 338
mobility and activity of in casein model systems as determined by 2H NMR and sorption isotherms, 430
mobility and activity of in sweetened concentrated desludged soy beverages and rheological properties, 537
mobility and crystallization action of lactose systems by oxygen-17 and carbon-13 NMR, 1435
mobility in starch/sucrose systems: O-17 NMR study, 1732
model for quantitating energy and degree of starch gelatinization based on content of, 543
modelling absorption in soybean, cowpea and peanuts at three temperatures using Peleg's equation, 1084
physical and sensory characteristics of low-fat pork sausage processed with various levels of added, 625
properties of soybean proteins related to characteristics of gels, 133
sorption isotherms of raisins, currants, figs, prunes and apricots, 1594

water
activity browning of dehydroascorbic acid and chlorogenic acid as function of, 1425
effect of milk on growth and acid production by S. thermophilus and L. bulgaricus, 708
in casein model systems as determined by 2H NMR and sorption isotherms, 430
in sweetened concentrated desludged soy beverages and rheological properties, 537
isotherm equation for starch, sucrose and salt for calculation of, 265
models for moisture sorption isotherms at very high, 759
of galactose solutions, 1174
predicting in solutions of mixed solutes, 494 to control growth of S cerevisiae in lab media, 837

water sorption
of coffee solubles by frontal inverse GC: thermodynamic considerations, 475

water-holding capacity
influence of preheating skimmilk on of Na salts of caseinates and coprecipitates, 879

weakening
inhibition of gel in surimi by plasma hydrolysate and egg white, 665

wheat
baking properties of bread and cookies incorporating distillers' or brewer's grain from, 424
distribution of total and soluble fiber in various millstreams of, 1349
effect of heat-treatment of flour on pancake springiness, 784
protein quality of muscle foods as affected by exchange of bran for cellulose, 885

whey
effect of heating and elevated temperature storage on cheese, 1177
effect of temperature on viscoelastic properties and activation energies of protein gels, 1296
evaluation of 9 semi-pilot scale pretreatment modifications for producing WPC, 510
kinetic compensation effect in heat denaturation of protein, 589
nonenzymatic nonoxidative browning in hydrolyzed cheese, 697
peptide fractions obtained with two-step UF process:production and characterization, 106
pH and heat treatment effects on foaming of protein isolate, 1116
recovery of proteins from using solid state sulfitolysis, 1559
viscoelastic properties of protein gels: mechanical model and effects of protein concentration on creep, 516

whey protein concentrate (WPC)
evaluation of 9 semi-pilot scale whey pretreatment modifications for producing, 510

whiting
(Merluccius productus) yield and composition of surimi from and effect of protein additives on gel strength, 83

wine
application of acid urease to: determination of trace urea in, 1018
microbiological and enological parameters during fermentation of musts from grape harvests, 1603
polysaccharide effects on cross flow microfiltration of with microporous alumina membrane, 1598
red raspberry: effect of processing and storage on anthocyanin pigment composition, color and appearance, 1011
temperature and light effects on ethyl carbamate formation in during storage, 1166

Y

yeast
effect of fermentation by on phytic acid and polyphenol content of pearl millet, 1180

yogurt
comparison of milk-based and soymllk-based, 532
development of sogurt, a -like soybean product, 1178
effect of fermentation and storage on concentration of orotic acid and uric acid in skim milk, 585
effect of stabilizers on textural and sensory characteristics of ice cream from sheep's milk, 703
soymilk: sensory evaluation and chemical measurement, 528
survival of lactic acid bacteria during spray drying of, 1008

Z

zinc
association with soy proteins as affected by heat and pH, 263
interaction with calcium and phytate in protein, 1720

Zymomonas mobilis
potable alcohol production by on gamma-alumina pellets, 525